GE Lighting


649 kWh/1000h | C energy class | 22 lumens/watt

Single Ended Halogen

T27 230-240V

88469





Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs - Chromised seal protection up to 500° C.

Application areas

Film and Broadcast

Theatre

WORLDWIDE PARTNER

GE Lighting

Single Ended Halogen

T27 230-240V

88469

Product data

Cap/Base	GY9.5
Bulb Shape	Tubular
Bulb Diameter [mm]	23
Maximum Overall Length [mm]	89
Light Center Length [mm]	46.5
Net weight per piece [g]	24
Gross weight per piece [g]	35
Brand	General Electric (GE)

Performance data

Colour Rendering Index (CRI) [Ra]	100
Nominal correlated colour temperature (CCT) [K]	3050
Nominal lumens [lm]	14500
Energy efficiency class (EEC)	C
Rated Life [h]	400
Weighted energy consumption [kWh/1000h]	648.58

Electrical data

Nominal power [W]	650
Nominal lamp voltage [V]	230
Coil type	C-13D
Dimming Capability	Yes

WORLDWIDE PARTNER

Logistic data

DUN Code	10043168884690
EAN Code	43168884693
Pack Quantity	24
Layer quantity	504 EUR, 600 UK
Layer quantity EUR	504
Layer quantity UK	600
Pallet quantity EUR (PC)	4032
Pallet quantity UK (PC)	4800
Outer case size	170 x 255 x 130 (mm)

Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

Disclaimer

Special Purpose Lamp, Not suited for household illumination

GE and General Electric are both registered trademarks of the General Electric Company

GE Lighting is constantly developing and improving its products. For this reason, all product descriptions in this brochure are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, GE Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.