











Discharge - Single Ended Hot Restrike CSR 4000SE/HR/UV- C

27765

Product information

Compact, single ended metal halide hot restrike lamps for a variety of applications requiring high luminance, reliability and excellent colour characteristics. Excellent colour rendering, Ra>90, and high CCT 5600–6000 K with superior colour stability- Universal burn position with hot restrike capability- High efficiency with excellent lumen maintenance -Available with UV blocking.

Application areas



Film and Broadcast









Product data

| Product Code | 27765 |
|-----------------------------|-----------------------|
| Bulb Shape | Globe |
| Bulb Finish | Clear |
| Bulb Diameter [mm] | 75 |
| Maximum Overall Length [mm] | 260 |
| Light Center Length [mm] | 142 |
| Arc Gap | 24 |
| Net weight per piece [g] | 353 |
| Gross weight per piece [g] | 743 |
| Operating position | U - Universal |
| Brand | General Electric (GE) |
| Cap/Base | G38 |

Performance data

| 956 |
|--------|
| 4400 |
| A+ |
| 0.33 |
| 0.325 |
| 6000 |
| 380000 |
| 90 |
| |

Electrical data

| Lamp Current [A] | 20 |
|--------------------------|------|
| Dimming Capability | No |
| Ballast Required | Yes |
| Nominal power [W] | 4000 |
| Nominal lamp voltage [V] | 200 |



Discharge - Single Ended Hot Restrike CSR 4000SE/HR/UV- C

27765

Logistic data

| DUN Code | 10043168277652 |
|--------------------------|----------------------|
| EAN Code | 0043168277655 |
| Pack Quantity | 6 |
| Inner pack type | BOX |
| Outer pack type | OUTER BOX |
| Layer quantity | 36 EUR, 36 UK |
| Layer quantity EUR | 36 |
| Layer quantity UK | 36 |
| Pallet quantity EUR (PC) | 108 |
| Pallet quantity UK (PC) | 108 |
| Outer case size | 415 x 270 x 360 (mm) |
| Product status | Available |

Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

Disclaimer

Special Purpose Lamp, Not suited for household illumination