

# Certificate of Compliance

**Certificate Number:**

UL-CA-2428569-1

**Report Reference:**

E343813-20240926

**Issue Date:**

2024-10-31

Issued to:

**NEUTRIK AG  
Im alten Riet 143 Schaan 9494  
Liechtenstein**

This certificate confirms that representative samples of:

**AXUT8 - Attachment Plugs, Fuseless Certified for Canada - Component**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**CSA C22.2 No. 60320-1:19, 2nd Ed., Issue Date: 2019-2-15,  
Revision Date: 2022-3-25**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch  
UL Mark Certification Program Owner



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-2428569-1  
**Report reference** E343813-20240926  
**Date** 2024-10-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

<b>Model</b>	<b>Product Description</b>
<b>Connector</b> , NAC3F-TRUE1-L	Attachment Plugs
<b>Connector</b> , NAC3F-TRUE1-S	Attachment Plugs
<b>Appliance Outlets</b> , NAC3FPX-TRUE1	Attachment Plugs
<b>Plug Connector</b> , NAC3M-TRUE1-L	Attachment Plugs
<b>Plug Connector</b> , NAC3M-TRUE1-S	Attachment Plugs
<b>Appliance Inlet</b> , NAC3MPX-TRUE1	Attachment Plugs
<b>Appliance Inlet/Outlet</b> , NAC3PX-TRUE1	Attachment Plugs



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product

Appliance inlet

Name and address of the applicant

Neutrik AG  
Im alten Riet 143, 9494 SCHAAN  
LIECHTENSTEIN

Name and address of the manufacturer

Neutrik AG  
Im alten Riet 143, 9494 SCHAAN  
LIECHTENSTEIN

Name and address of the factory

Neutrik Hungary Kft.  
Pap ut 4, 3600 Ozd  
HUNGARY

*Note: When more than one factory, please report on page 2*

Additional Information on page 2

Ratings and principal characteristics

AC 250 V, 16 A,  
Non-standardized construction

Trademark (if any)

**NEUTRIK**

Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

NAC3MPX-TRUE1

Additional information (if necessary may also be reported on page 2)

Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60320-1:2021

As shown in the Test Report Ref. No. which forms part of this Certificate

310467-TL3-2

This CB Test Certificate is issued by the National Certification Body

**VDE** Prüf- und Zertifizierungsinstitut GmbH  
**VDE** Testing and Certification Institute  
Zertifizierungsstelle und internat. Angelegenheiten  
Certification Body and internat. Affairs



Date: 2024-05-15

Signature:

M. Tasotti

## ZEICHENGENEHMIGUNG MARKS APPROVAL

Neutrik AG  
Im alten Riet 143  
9494 SCHAAN  
Liechtenstein

ist berechtigt, für ihr Produkt /  
*is authorized to use for their product*

**Gerätestecker**  
**Appliance inlet**

die hier abgebildeten markenrechtlich geschützten Zeichen  
für die ab Blatt 2 aufgeführten Typen zu benutzen /  
*the legally protected Marks as shown below for the types referred to on page 2 ff.*



und/oder - and/or




Geprüft und zertifiziert nach /  
*Tested and certified according to*

DIN EN IEC 60320-1 (VDE 0625-1):2023-06; EN IEC 60320-1:2021

Das Produkt erfüllt auch die Anforderungen nach /  
*The product also fulfills the requirements of*

IEC 60320-1:2021



Aktenzeichen: 2115300-1550-0043 / 310467

File ref.:

Ausweis-Nr. 40058554

Certificate No.

Weitere Bedingungen siehe Rückseite und Folgeblätter /  
*further conditions see overleaf and following pages*

Offenbach, 2024-05-15

Blatt 1

Page

VDE Prüf- und Zertifizierungsinstitut GmbH  
VDE Testing and Certification Institute  
Zertifizierungsstelle / Certification

M. Tasotti

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:  
VDE certificates are valid only when published on:

<http://www.vde.com/zertifikat>  
<http://www.vde.com/certificate>

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*  
Neutrik AG, Im alten Riet 143, 9494 SCHAAN, LIECHTENSTEIN

Aktenzeichen / *File ref.*  
2115300-1550-0043 / 310467 / TL3 / E

Datum / *Date*  
2024-05-15

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40058554.  
*This supplement is only valid in conjunction with page 1 of the Certificate No. 40058554.*

## Gerätestecker *Appliance inlet*

Typ(en) / *Type(s)*

### NAC3MPX-TRUE1

Bemessungsspannung <i>Rated voltage</i>	AC 250 V
Bemessungsstrom <i>Rated current</i>	16 A
Polzahl <i>Number of poles</i>	2-polig mit Schutzkontakt <i>2-pole with earthing contact</i>
Normblatt <i>Standard sheet</i>	nicht genormte Konstruktion <i>non-standardized construction</i>
Stifttemperatur <i>Temperature of the pins</i>	max. 70°C
Anschlussart <i>Connection method</i>	Flachsteckanschluß 6,3 x 0,8 mm <i>flat-quick tab terminations 6,3 x 0,8 mm</i>
Art der Montage <i>Method of mounting</i>	Einbau, für Geräte der Schutzklasse I <i>built-in into class I appliances</i>  Schraubmontage / Flanschmontage <i>screw mounting / flange mounting</i>

Fortsetzung siehe Blatt 3 /  
*continued on page 3*

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*  
Neutrik AG, Im alten Riet 143, 9494 SCHAAN, LIECHTENSTEIN

Aktenzeichen / *File ref.*  
2115300-1550-0043 / 310467 / TL3 / E

Datum / *Date*  
2024-05-15

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40058554.  
*This supplement is only valid in conjunction with page 1 of the Certificate No. 40058554.*

Anmerkung(en)

Die Gerätestecker Typ NAC3MPX-TRUE1 ist Teil des  
Gerätesteckvorrichtungssystems NAC3(..)X(.) - Serie  
(nicht genormte Konstruktion) des Herstellers Neutrik AG.

Remark(s)

Typ NAC3MPX-TRUE1 darf nur in Kombination mit den  
passenden VDE-genehmigten Gerätesteckdosen der  
NAC3(..)X(.) - Serie des Herstellers Neutrik AG verwendet  
werden.

*The appliance inlet type NAC3MPX-TRUE1 is part of the  
appliance coupler system NAC3(..)X(.) - Series  
(non-standardized construction) of manufacturer Neutrik AG.*

*The type NAC3MPX-TRUE1 shall only be used in  
combination with the compatible VDE-approved connector  
types of the NAC3(..)X(.) - Series of manufacturer Neutrik AG.*

Geeignet für den Einsatz in Höhen bis 4000 m  
*Suitable for use at altitudes up to 4000 m*

Warenzeicheninhaber  
*Trademark holder*

Neutrik AG

Prüfberichtsnummer  
*Test report file no.*

309388-TL3-2 (CB-Test Report)

Produktinformation  
*Product information*

siehe Anlage Nr. 300 + 900 vom 2024-05-15  
*see Appendix No. 300 + 900 dated 2024-05-15*

# VDE Prüf- und Zertifizierungsinstitut Zeichengenehmigung

Ausweis-Nr. / Beiblatt /  
Certificate No. Supplement  
40058554

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*  
Neutrik AG, Im alten Riet 143, 9494 SCHAAN, LIECHTENSTEIN

Aktenzeichen / *File ref.*  
2115300-1550-0043 / 310467 / TL3 / E

Datum / *Date*  
2024-05-15

Dieses Beiblatt ist Bestandteil des Zeichengenehmigungsausweises Nr. 40058554.  
*This supplement is part of the Certificate No. 40058554.*

**Gerätestecker**  
***Appliance inlet***

**Fertigungsstätte(n)**  
***Place(s) of manufacture***

Referenz/ <i>Reference</i>	Neutrik Hungary Kft.
<b>30027211</b>	Pap ut 4
	3600 OZD
	HUNGARY



Name und Sitz des Genehmigungs-Inhabers / Name and registered seat of the Certificate holder  
Neutrik AG, Im alten Riet 143, 9494 SCHAAN, LIECHTENSTEIN

Aktenzeichen / File ref.  
2115300-1550-0043 / 310467 / TL3 / E

Datum / Date  
2024-05-15

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40058554.  
*This supplement is only valid in conjunction with page 1 of the Certificate No. 40058554.*

## **Genehmigung zum Benutzen des auf Seite 1 abgebildeten markenrechtlich geschützten Zeichens des VDE:**

Grundlage für die Benutzung sind die Allgemeinen Geschäftsbedingungen (AGB) der VDE Prüf- und Zertifizierungsinstitut GmbH ([www.vde.com\AGB-Institut](http://www.vde.com\AGB-Institut)). Das Recht zur Benutzung erstreckt sich nur auf die bezeichnete Firma mit den genannten Fertigungsstätten und die oben aufgeführten Produkte mit den zugeordneten Bezeichnungen. Die Fertigungsstätte muss so eingerichtet sein, dass eine gleichmäßige Herstellung der geprüften und zertifizierten Ausführung gewährleistet ist.

Die Genehmigung ist so lange gültig wie die VDE-Bestimmungen gelten, die der Zertifizierung zugrunde gelegen haben, sofern sie nicht auf Grund anderer Bedingungen aus der VDE Prüf- und Zertifizierungsordnung (PM102) zurückgezogen werden muss.

Der Gültigkeitszeitraum einer VDE-GS-Zeichengenehmigung kann auf Antrag verlängert werden. Bei gesetzlichen und / oder normativen Änderungen kann die VDE-GS-Zeichengenehmigung ihre Gültigkeit zu einem früheren als dem angegebenen Datum verlieren.

Produkte, die das Biozid Dimethylfumarat (DMF) enthalten, dürfen gemäß der Kommissionsentscheidung 2009/251/EG nicht mehr in den Verkehr gebracht oder auf dem Markt bereitgestellt werden.

Der VDE-Zeichengenehmigungsausweis wird ausschließlich auf der ersten Seite unterzeichnet.

### **Approval to use the legally protected Mark of the VDE as shown on the first page:**

*Basis for the use are the general terms and conditions of the VDE Testing and Certification Institute ([www.vde.com\terms-institute](http://www.vde.com\terms-institute)). The right to use the mark is granted only to the mentioned company with the named places of manufacture and the listed products with the related type references. The place of manufacture shall be equipped in a way that a constant manufacturing of the certified construction is assured.*

*The approval is valid as long as the VDE specifications are in force, on which the certification is based on, unless it is withdrawn according to the VDE Testing and Certification Procedure (PM102E).*

*The validity period of a VDE-GS-Mark Approval may be prolonged on request. In case of changes in legal and / or normative requirements, the validity period of a VDE-GS-Mark Approval may be shortened.*

*Products containing the biocide dimethylfumarate (DMF) may not be marketed or made available on the EC market according to the Commission Decision 2009/251/EC.*

*The approval is solely signed on the first page.*

# Certificate of Compliance

**Certificate Number:**

UL-US-L343813-02571-10501102-3

**Report Reference:**

E343813-20110501

**Issue Date:**

2025-05-09

Issued to:

**NEUTRIK AG**

**Im alten Riet 143, Schaan, 9494, LI**

This certificate confirms that representative samples of:

**AXUT2 - Attachment Plugs, Fuseless - Component**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**UL 498, Edition 16, Issue Date 2017-04-28, Revision Date 2023-05-31**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink that reads 'David Piecuch'.

David Piecuch  
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L343813-02571-10501102-3  
Report reference E343813-20110501  
Date 2025-05-09

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Appliance Inlet

Model(s): NAC3MPX-TRUE1

## Appliance Inlet/Outlet

Model(s): NAC3PX-TRUE1

## Appliance Outlets

Model(s): NAC3FPX-TRUE1

## Appliance inlet/outlets

Model(s): NAC3PX-TOP

## Appliance inlets

Model(s): NAC3MPX-TOP, NAC3MPX-WOT-TOP

## Appliance outlets

Model(s): NAC3FPX-ST-TOP, NAC3FPX-TOP, NAC3FPX-WOT-TOP

## Connector

Model(s): NAC3F-TRUE1-L, NAC3F-TRUE1-S

## Plug Connector

Model(s): NAC3M-TRUE1-L, NAC3M-TRUE1-S



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# Certificate of Compliance

**Certificate Number:**

UL-CA-L343813-02601-10501102-3

**Report Reference:**

E343813-20110501

**Issue Date:**

2025-05-09

Issued to:

**NEUTRIK AG**  
**Im alten Riet 143, Schaan, 9494, LI**

This certificate confirms that representative samples of:

**AXUT8 - Attachment Plugs, Fuseless Certified for Canada - Component**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**CSA C22.2 No. 182.3, 2nd Ed., Issue Date: 2016-07, Revision Date: 2021-5**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch  
UL Mark Certification Program Owner



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-CA-L343813-02601-10501102-3  
**Report reference** E343813-20110501  
**Date** 2025-05-09

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Appliance Inlet

**Model(s):** NAC3MPX-TRUE1

## Appliance Inlet/Outlet

**Model(s):** NAC3PX-TRUE1

## Appliance Outlets

**Model(s):** NAC3FPX-TRUE1

## Appliance inlet/outlets

**Model(s):** NAC3PX-TOP

## Appliance inlets

**Model(s):** NAC3MPX-TOP, NAC3MPX-WOT-TOP

## Appliance outlets

**Model(s):** NAC3FPX-ST-TOP, NAC3FPX-TOP, NAC3FPX-WOT-TOP

## Connector

**Model(s):** NAC3F-TRUE1-L, NAC3F-TRUE1-S

## Plug Connector

**Model(s):** NAC3M-TRUE1-L, NAC3M-TRUE1-S



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# Certificate of Compliance

**Certificate Number:**  
UL-US-2437324-1

**Report Reference:**  
E343813-20240926

**Issue Date:**  
2024-10-31

Issued to:

**NEUTRIK AG**  
**Im alten Riet 143 Schaan 9494**  
**Liechtenstein**

This certificate confirms that representative samples of:  
**AXUT2 - Attachment Plugs, Fuseless - Component**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**UL 60320-1, 3rd Ed., Issue Date: 2019-02-15, Revision Date: 2022-03-25**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink that reads 'David Piecuch'.

David Piecuch  
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** UL-US-2437324-1  
**Report reference** E343813-20240926  
**Date** 2024-10-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

<b>Model</b>	<b>Product Description</b>
<b>Connector</b> , NAC3F-TRUE1-L	Attachment Plugs
<b>Connector</b> , NAC3F-TRUE1-S	Attachment Plugs
<b>Appliance Outlets</b> , NAC3FPX-TRUE1	Attachment Plugs
<b>Plug Connector</b> , NAC3M-TRUE1-L	Attachment Plugs
<b>Plug Connector</b> , NAC3M-TRUE1-S	Attachment Plugs
<b>Appliance Inlet</b> , NAC3MPX-TRUE1	Attachment Plugs
<b>Appliance Inlet/Outlet</b> , NAC3PX-TRUE1	Attachment Plugs



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.