



AUDIBAX 

POWER DISTRIBUTORS



AUDIBAX IS A BRAND OF THE MHGROUP

COPYRIGHT © 2025 AUDIBAX. ALL RIGHTS RESERVED.

MH GROUP

CALLE RÍO ALMANZORA 1C 28906 GETAFE, MADRID

INFO@THEGROUPMH.COM

+34 91 088 68 90



ABOUT US

Audibax is a Spanish dynamic and innovative brand driven by a passion for sound and lighting, including many kinds of showbusiness gear.

Our proactive mindset and pursuit of excellence drove us to create Audibax, with a vision to craft unforgettable experiences driven by the mission to deliver top-quality products without breaking the bank.

We prioritize attention to detail in every stage of product development and design, ensuring European quality control standards.

Since its establishment, our brand has maintained a strong determination to research and development, continuously raising the bar for our brand through exceptional product innovation. As a one-stop supplier, we offer comprehensive solutions to meet all your needs.

PRODUCT QUALITY

ENDURING DURABILITY

When it comes to product excellence, we go above and beyond at Audibax. It's our commitment to quality that sets us apart from the rest. Our products are more than just a purchase; they're a statement of enduring durability and perfection.

VALUE PRODUCTS

When you choose Audibax, you're not just choosing a product; you're choosing the ultimate sound & lighting experience. Get ready to be excited by the unbeatable combination of durability, quality, and value. Join us and let your love for the show boost with Audibax.

QUALITY MATERIALS

Crafted from only the finest materials, our speakers, lighting, and accessories are designed for the long haul. We understand that quality is not just a feature; it's our essence. That's why when you select Audibax, you're choosing a product that is sure to withstand the test of time.

AFFORDABLE PRICES

At Audibax, we firmly believe that exceptional quality should be affordable. You should not have to break the bank to experience the best. That's why we maintain highly competitive prices, providing you with the best product.

POWER STRIP



PS SERIES FEATURES

Product Code	Model	Ean Code	Outlets	Cable meters
10315837	PS3-150-15	3666964580315	3 x 1,5mm	1,5 Meters
10315838	PS6-150-15	3666964141899	6 x 1,5mm	1,5 Meters

10315837



10315838



PS SERIES Standalone

Audibax power strips are designed to provide reliable power distribution in lighting and sound studios, and are also perfect for expanding power outlets in offices, production rooms, and home environments where a safe and tidy electrical installation is required.

Their robust construction with a riveted plastic housing ensures durability and safety, while the 45° angled side outlets prevent interference between large plugs.

Equipped with a 1.5 m H05VV-F cable, the power strips provide stable power for devices up to 3680W. The compact black design makes them a practical and stylish choice for any environment.



PSR SERIES

Horizontal 19" Rack
mounting

The Audibax PSR series of professional power strips is ideal for horizontal rack mounting.

Designed for professional audio, lighting, or studio environments, it allows for more efficient power distribution management and safer equipment connections.

Its aluminum housing ensures strength and durability, while the 2 m H05VV-F cable provides a stable and safe power supply up to 3680W.

PSR SERIES FEATURES

Product Code	Model	Ean Code	Outlets	Cable meters	Switch
10315839	PSR8	3666964341671	8	1,8	No switch
10315840	PSR8-SB	3666964102777	8	1,8	Rear On/Off
10315841	PSR8-SF	3666964978501	8	1,8	Front On/Off
10315842	PSR8-SB-USB	3666964334970	8	1,8	Rear On/Off + 2 Front USB
10315843	PSR8-PwC	3666964181499	8	1,8	Front On/Off + Power twist
10315844	PSR16-2SF	3666964820916	16	1,8	2 x Front On/Off



10315839



10315840



10315841



10315842



10315843



10315844

PSR SERIES

Magnetothermic Power Strip


The Audibax PSR6-M-200 Power Strip is a professional 6-socket Schuko cable with integrated magnetothermic protection, designed for horizontal rack mounting.

Ideal for sound and lighting installations, or professional environments where electrical safety is paramount.

Its aluminum housing offers high strength and durability, while the 1.8 m H05VV-F (3 x 1.5 mm²) cable provides a stable and safe connection up to 3680W. A robust and reliable solution for protected and efficient power distribution.

PSR SERIES FEATURES

Product Code	Model	Ean Code	Outlets	Cable meters	Switch
10315853	PSR6-M-200	3666964639457	6	1,8	On/Off switch breaker



PC SERIES

Power Cable

The Audibax PC Power Cable series comprises power cables designed for the safe and reliable connection of electrical devices and power strips.

Made with H05VV-F (1.5 mm²) cable and a EURO-C13 plug, it support up to 3680W and a voltage of 220–250V.

It PVC insulation and VDE certification ensure safety and durability in both professional and domestic environments.

The range includes the 5-meter Audibax PC500-15 Power Cable and the 3-meter Audibax PC300-15 Power Cable.

PC SERIES FEATURES

Product Code	Model	Ean Code	Cable meters	Cable diameter
10315845	PC500-15	3666964901448	5 meters	1,5 mm ²
10315846	PC300-15	3666964078867	3 meters	1,5 mm ²



10315845



10315846

PCE SERIES

Power Extension Cord

The Audibax PCE series are Power Extension Cords, designed to safely extend the connection of your electrical devices and power strips.

Made with H05VV-F cable (1,5 mm² & 2,5 mm² diameters) and EURO-C13 plug (Schuko male - Schuko female), it support up to 3680W and a voltage of 220-250V.

Their PVC insulation and VDE certification guarantee safety and durability in professional or domestic environments.

PCE SERIES FEATURES

Product Code	Model	Ean Code	Cable meters	Cable diameter
10315847	PCE500-15	3666964660185	5 meters	1,5 mm ²
10315848	PCE1000-15	3666964097646	10 meters	1,5 mm ²
10315849	PCE2000-15	3666964355043	20 meters	1,5 mm ²
10315850	PCE500-25	3666964571719	5 meters	2,5 mm ²
10315851	PCE1000-25	3666964781897	10 meters	2,5 mm ²
10315852	PCE2000-25	3666964860103	20 meters	2,5 mm ²



PWC SERIES

PowerCON Cable

The Audibax PWC series are PowerCON cables, designed to ensure safe and stable connections for audio, lighting, and technical installation equipment.

Featuring PowerCON connectors (blue input and gray output) made with H05VV-F cable, it offers efficient and reliable power transmission.

Their robust construction and CE and RoHS certifications ensure safe use in professional applications.



PWC SERIES FEATURES

Product Code	Model	Ean Code	Cable meters	Cable type	Cable section
10316029	PWC100-15	602561518897	1 meter	H05RN-F	3*1,5 mm ²
10316030	PWC200-15	602561017406	2 meters	H05RN-F	3*1,5 mm ²
10316031	PWC300-15	602561806437	3 meters	H05RN-F	3*1,5 mm ²
10316032	PWC500-15	602561813275	5 meters	H05RN-F	3*1,5 mm ²
10316037	PWC100-25	602561933553	1 meter	H05RN-F	3*2,5 mm ²
10316038	PWC200-25	602561945204	2 meters	H05RN-F	3*2,5 mm ²
10316040	PWC300-25	602561371249	3 meters	H05RN-F	3*2,5 mm ²
10316041	PWC500-25	602561772435	5 meters	H05RN-F	3*2,5 mm ²
10316042	PWC1000-25	602561017932	10 meters	H05RN-F	3*2,5 mm ²



PC-XLR SERIES

Power Combi

The Audibax PC-XLR series comprises professional hybrid cables designed to optimize technical installations by combining power and signal in a single solution.

With PowerCON connectors (blue input and gray output) and various length options, it reduces cabling and speeds up setups in audio and lighting environments. Manufactured with 3 x 2.5 mm² H05RN-F conductors, it guarantees stable and safe power transmission.

Furthermore, it features CE and RoHS certifications and IP44 protection, making it suitable for use in demanding professional environments. A practical, robust, and efficient option for setups where organization and reliability are key.



PC-XLR SERIES FEATURES

Product Code	Model	Ean Code	Cable meters	Cable type	Cable section
10316033	PC-XLR-150	602561596703	1,5 meters	H05RN-F	3*2,5 mm ²
10316034	PC-XLR-250	602561568038	2,5 meters	H05RN-F	3*2,5 mm ²
10316035	PC-XLR-500	602561150998	5 meters	H05RN-F	3*2,5 mm ²
10316036	PC-XLR-1000	602561975737	10 meters	H05RN-F	3*2,5 mm ²





CEE SERIES
Extension Cable

The Audibax CEE series comprises high-performance, flexible H07RN-F cables designed for professional environments that demand safety and reliability.

With a 5-pin CEE connection, they offer stable power transmission even under demanding conditions. Manufactured with high-quality conductors that guarantee excellent current-carrying capacity, they also feature IP44 protection, ideal for outdoor use or environments where splashing may occur.

A robust, safe solution ready to perform at its best in events, industrial installations, or technical setups.



CEE EXTENSION CABLE

Product Code	Model	Ean Code	Cable meters	Connector 1	Connector 2	Cable section	AWG
10315937	CEE500-60-5P	602561368478	5 m	CEE 32A 5p Male	CEE 32A 5p Female	5*6 mm ²	10
10315938	CEE1000-60-5P	602561972255	10 m	CEE 32A 5p Male	CEE 33A 5p Female	5*6 mm ²	10
10315939	CEE2500-60-5P	602561394422	25 m	CEE 32A 5p Male	CEE 34A 5p Female	5*6 mm ²	10
10315940	CEE500-25-5P	602561894441	5 m	CEE 16A 5p Male	CEE 16A 5p Female	5*2,5 mm ²	13
10315941	CEE1000-25-5P	602561741677	10 m	CEE 16A 5p Male	CEE 16A 5p Female	5*2,5 mm ²	13
10315942	CEE2500-25-5P	602561585684	25 m	CEE 16A 5p Male	CEE 16A 5p Female	5*2,5 mm ²	13

CEE SERIES
Adapters Cables

The Audibax CEE adapter range comprises a series of cables ideal for professional environments requiring the connection of equipment with different power supply configurations.

With CEE connectors on one end and a length of 1 meter, they allow for quick and reliable connections between electrical systems of varying power.

This versatile series ensures stable power transmission while maintaining high safety standards. Their IP44 rating makes them suitable for outdoor use or in environments with humidity or splashes.

CEE ADAPTERS

Product Code	Model	Ean Code	Cable meters	Connector 1	Connector 2	Cable section
10316013	A-CEE-16-32-25	602561644534	1 m	CEE 16A 5p Male	CEE 32A 5p Female	5 x 2,5 mm ²
10316014	A-CEE-32-63-60	602561791382	1 m	CEE 32A 5p Male	CEE 63A 5p Female	5 x 6 mm ²
10316015	A-CEE3P-SC-25	602561426154	1 m	CEE 16A 2p+T Male	Schuko 16A Female	3 x 2,5 mm ²
10316016	A-SC-CEE3P-25	602561108562	1 m	Schuko 16A Male	CEE 16A 3p Female	3 x 2,5 mm ²





A-SCP-M-4CEE4P-F-25

Socapex Adapter

The Audibax A-SCP-M-4CEE4P-F-25 is a Socapex adapter with 19 male and 4 female CEE connectors rated at 16A, designed to connect motor control systems and safely distribute power to motors.

With a length of 0.5 meters and 4 x 2.5 mm² conductors, it enables reliable and efficient power transmission in demanding environments.

- Product Code: **10316050**
- Ean Code: **602561508041**



A-SCP-M-4CEE4P-M-25

Socapex Adapter

The Audibax A-SCP-F-4CEE4P-M-25 is a Socapex adapter with 19 female and 4 male CEE connectors rated at 16A, designed for connecting motor control systems and safely distributing power to motors.

With a length of 0.5 meters and 4 x 2.5 mm² conductors, it enables reliable and efficient power transmission in demanding environments.

- Product Code: **10316051**
- Ean Code: **602561143433**



SCP SERIES

Socapex connectors

The Audibax SCP Socapex connector series is ideal for professional audio, lighting, and installation connections, as well as for industrial applications. Its design ensures a firm and stable connection, preventing accidental disconnections, while its construction complies with CE and RoHS certifications, guaranteeing electrical safety and the use of materials free from hazardous substances.

Supporting up to 16A of current, it offers a direct and clean connection in panels or racks, combining reliability, practicality, and ease of use for professional installations.

SCP CONNECTORS SERIES FEATURES

Product Code	Model	Ean Code	Type	Gender
10316045	SCP-M-19P	602561332080	Socapex 19-pin 16A connector	Male
10316046	SCP-F-19P	602561503480	Socapex 19-pin 16A connector	Female
10316047	SCP-MC-19P	602561084507	Socapex 19-pin 16A chassis connector	Male
10316048	SCP-FC-19P	602561148957	Socapex 19-pin 16A chassis connector	Female



10316045



10316046



10316047



10316048

SCP TESTER

Socapex tester

The Audibax SCP-T Socapex Tester 16A 19p (male to female) is a cable tester designed for professional stage lighting environments. Ideal for theaters, concerts, and live events where multiple electrical channels need to be distributed through a single connection, it enables reliable signal distribution for multi-circuit systems and demanding technical installations.

It features IP44 protection, making it suitable for indoor and outdoor use with moderate exposure to dust and splashes. It is CE and RoHS certified, guaranteeing safety and compliance with European regulations.

- Product Code: 10316049
- Ean Code: 602561495242



DISTRIBUTORS

DPT SERIES

Power Distribution Base

The Audibax DPT series are professional power strips, ideal for installation in technical environments where safe and stable power distribution is required. They allow for the efficient connection of multiple outlets, supporting up to 16A and 3.5 kW of maximum power.

Their robust metal construction and CE and RoHS certifications guarantee safety and durability in professional applications.

A compact, sturdy, and practical solution for rack systems, events, and demanding technical configurations.

DPT SERIES FEATURES

Product Code	Model	Ean Code	Type	Outlets
10316027	DPT4	602561402707	1 PowerCON input to 4 PowerCON + 1 outputs	4
10316028	DPT8	602561350831	1 PowerCON input to 8 PowerCON +1 outputs	8





PD SERIES
Power Distributor

The Audibax PD Power Distributors series offers maximum reliability, safety, and efficiency for the electrical management of your sound and lighting systems on stages and at large events.

Designed with a rugged black metal chassis, all models in this series are ready for installation in a 19" rack, occupying 3U of space, which facilitates a clean and professional integration. This line stands out for operating at an input voltage of 380V AC (50/60 Hz) and for featuring an advanced digital display with voltmeter and ammeter indicators, allowing for precise real-time current monitoring.

Furthermore, to ensure optimal performance in outdoor and demanding live performance conditions, they are CE and RoHS certified and feature an IP44 rating for protection against dust and water splashes. A high-end standard solution that ensures stable and fully protected power distribution.

PD SERIES FEATURES

Product Code	Model	Ean Code	Nº of Outlets	Outlet Type	Connector Input	Breaker
10316018	PD16-6-16-16	602561970800	7	7 Schuko	CEE 16A 5P	3 MCB 1 + N 25A
10316019	PD32-6-16-32	602561169273	7	6 Schuko + 1 Link CEE 32A 5P	CEE 32A 5P	1 RCBO 3 + N 40A/30mA, 6 MCB 1 + N 25A
10316021	PD64T-4-32	602561444462	4	4 CEE 32A 5P	CEE 32A 5P	1 RCBO 3 + N 63A/30mA, 4 MCB 3P 32A
10316022	PD32D-6SC-PT-32	602561283511	13	6 Schuko + 6 PowerCON True1 + 1 Link CEE 32A 5P	CEE 32A 5P	1 RCBO 1 + N 25A/30mA
10316023	PD32D-6SC-PW-32	602561202796	13	6 Schuko + 6 PowerCON + 1 Link CEE 32A 5P	CEE 32A 5P	1 RCBO 1 + N 25A/30mA



10316018



CM SERIES

Chainhoist Controller

The Audibax CC Chainhoist Control series of rigging is specifically designed to provide centralized, precise, and completely safe control of electric hoists on stages, truss structures, and large-scale installations.

Built with a rugged black metal chassis, both models operate on 380V/AC (50/60 Hz) three-phase industrial voltage for both input and output via a 5-pin 32A CEE power connector.

Safety is the top priority for this product line; therefore, they come standard with an emergency stop system, individual phase reversal switches per channel to instantly reverse the direction of the motors, and circuit breaker protection per channel.

Additionally, they support master/slave linking via PowerCON connectors and are CE and RoHS certified with an IP44 protection rating, ensuring reliable, compliant operation in any professional production environment.

CM SERIES FEATURES

Product Code	Model	Ean Code	Output Connector Type	Input Plug Type	Maximum Power	Socapex
10316043	CM-8-SCP	602561600318	8 CEE 16A 4P + 2 Socapex 19P	5 PIN CEE 32A	2.1KW	Yes
10316044	CM-4	602561939555	4 CEE 16A 4P	5 PIN CEE 32A	2.11KW	No



10316044



10316043



