



TRITON BLUE  
CATALOGUE 2026

DESIGNED IN SPAIN

# THE ART OF LIGHTING

From the very beginning, Triton Blue has focused on becoming a leader in the global lighting industry, offering advanced solutions in professional moving heads, LED architecture series, effects, LED screens, and accessories. With cutting-edge production processes and a strong emphasis on R&D, we are dedicated to delivering innovative, high-quality products that meet the evolving needs of the market. Our products enjoy an excellent reputation thanks to their exceptional performance, competitive pricing, and reliable after-sales support. Triton Blue has established a strong presence in Europe and continues to expand into new territories, driven by our commitment to quality and customer satisfaction. At the core of Triton Blue is a skilled and experienced team passionate about creating tailored lighting solutions. Through close collaboration with our distributors and customers, we aim to build lasting partnerships, always listening to feedback to drive continuous improvement and success.


TRITON BLUE IS A REGISTERED  
BRAND OF THE MH GROUP

**MH**GROUP

TRITON BLUE

## TABLE OF CONTENTS

|                        |    |
|------------------------|----|
| DMX CONTROLLER         | 02 |
| BATTERY OUTDOOR LED    | 07 |
| OUTDOOR LED WASHER     | 11 |
| MOVING HEADS           | 14 |
| INDOOR LED PAR         | 17 |
| OUTDOOR LED PAR        | 18 |
| LED FRESNEL PROJECTORS | 21 |
| PROFILE                | 23 |
| LED TV PANELS          | 25 |
| EFFECTS MACHINE        | 27 |
| FOG FLUIDS             | 29 |
| FIXED GOBOS            | 30 |
| ROTATIVE GOBOS         | 31 |
| ACCESSORIES            | 32 |
| FLIGHTCASES            | 33 |
| CLAMPS                 | 34 |
| CABLE PROTECTORS       | 36 |



Lighting Consoles



**ATLAS 1024**

**cod. 10302676**

- Type of Control: DMX
- DMX Channel: 2 × 512
- Protocols Supported: DMX, RDM, Art-Net, sACN
- Universes: 4
- Connectivity: 2x 5-pin DMX Output, optical isolation LAN Port 2x USB Port 3.5mm Jack Audio Output
- Control Panel: Touch screen, RGB programmable Key Backlight, 2 Encoder, 10 Fader



**ACCESSORIES INCLUDED**

- Power Cable
- Carrying Case
- Flightcase
- Touch Pen
- Screen Protector
- USB Drive
- Lanyard



**ATLAS 2560**

**cod. 10302675**

- Type of Control: DMX
- DMX Channel: 5 × 512
- Protocols Supported: DMX, RDM, Art-Net, sACN
- Connectivity: 5x 5-pin DMX Output, optical isolation LAN Port 7x USB Port 2x Display Port 2x 3.5mm Jack Audio Output 1x 3.5mm Jack Audio Input
- Control Panel: Touch screen, RGB programmable Key Backlight 3 Encoder 12 Fader + 2 Master Fader



**ACCESSORIES INCLUDED**

- Power Cable
- Dust cover
- Flightcase
- Touch pen
- Screen Protector
- USB drive
- Lanyard
- LED desk lamp (Flexo)



## Splitters



## SATURN 4

cod. 10285878

- Type of Control: DMX
- DMX Channels & Virtual Channels: 1 x 512
- Wireless DMX Control Capabilities: No
- Max Power Consumption: 7W
- Mounting & Installation Options: Wall, Surface screw fixing or place flat on tabletop and floor
- DMX Connector Type:
  - Outputs: 4 Female 3-pin connectors and 4 Female 5-pin connectors
  - Thru: 1 Female 3-pin connector
  - Input: 1 Male 3-pin connector



## SATURN 6R

cod. 10300446

- Type of Control: DMX / W-DMX / CRMX
- DMX Channels & Virtual Channels: 1 x 512
- Wireless DMX Control Capabilities: W-DMX / CRMX
- Max Power Consumption: 6W
- Mounting & Installation Options: Rigging hook mounting or Place flat on the tabletop
- DMX Connector Type:
  - Output: 6 Female 3-pin connector
  - Input: 1 Female 3-Pin connector
  - Thru Output: 1 Male 3-Pin connector



## SATURN 4R

cod. 10286981

- Type of Control: DMX
- DMX Channels & Virtual Channels: 1 x 512
- Wireless DMX Control Capabilities: No
- Max Power Consumption: 3W
- Mounting & Installation Options: 1U rack, rigging hook mounting or place flat on the tabletop
- DMX Connector Type:
  - Outputs: 4 Female 3-pin connectors and 4 Female 5-pin connectors
  - Thru: 1 Female 3-pin connector
  - Input: 1 Male 3-pin connector



## SATURN 8R

cod. 10286985

- Type of Control: DMX/RDM
- DMX Channels & Virtual Channels: 512 DMX Channel
- Wireless DMX Control Capabilities: No
- DMX Connector Type: 1x 3-pin DMX In, 1x 3-pin DMX Thru and 8x 3-pin DMX Out
- Max Power Consumption: 8W
- Mounting & Installation Options: 1U rack, rigging hook mounting or Place flat on the tabletop



## SATURN 4R 2

cod. 10286982

- Type of Control: DMX
- DMX Channels & Virtual Channels: 1 x 512
- Wireless DMX Control Capabilities: No
- Max Power Consumption: 5W
- Mounting & Installation Options: 1U rack, rigging hook mounting or Place flat on the tabletop
- DMX Connector Type:
  - Outputs: 4 Female 3-pin connectors on rear panel and 4 Female 5-pin connectors on rear panel
  - Thru Output: 1 Female 3-pin connectors on rear panel and 1 Female 5-pin connector on rear panel
  - Input: 1 Female 3-pin connector and 1 Female 5-pin connector



## SATURN 2X5R

cod. 10286984

- Type of Control: DMX
- DMX Channels & Virtual Channels: 2 x 512
- DMX Connector Type: DMX Input: 2x 3-pin & 2x 5-pin XLR in DMX Out: 5 x 3-pin & 5-pin XLR out
- Max Power Consumption: 10W
- Mounting & Installation Options: 1U rack or Place flat on the tabletop




## W-DMX



## SPACE 1024

cod. 10286986

- Type of Control: DMX Recorder / Art-Net Node / DMX Merger
- DMX Channels & Virtual Channels: 2x 512
- Wireless DMX Control Capabilities: USB for W-DMX Transceiver
- DMX Connector Type: 2x 3pin DMX In and 2x 3pin DMX Out
- Max Power Consumption: 3W
- Mounting & Installation Options: 1U rack, rigging hook mounting or Place flat on the tabletop



## TR 100

cod. 10286809

- Type of Control: W-DMX / LumenRadio
- DMX Channels & Virtual Channels: 512
- Wireless DMX Control Capabilities: Supports CRMX and W-DMX G3 and W-DMX G4S Up to 16 DMX universes in one area
- DMX Connector Type:
  - 3-pin DMX Male
  - 5-pin DMX Male
- Max Power Consumption: 3W
- Mounting & Installation Options: Rigging hook mounting or Place flat on the tabletop



## TR 100 IP

cod. 10286997

- Type of Control: W-DMX / LumenRadio
- DMX Channels & Virtual Channels: 512
- Wireless DMX Control Capabilities: Supports CRMX and W-DMX G3 and W-DMX G4S Up to 16 DMX universes in one area
- DMX Connector Type: 3-pin DMX Male
- Max Power Consumption: 3W
- Mounting & Installation Options:
  - Rigging hook mounting (M10 thread)
  - Surface strap fixing
  - Place flat on the tabletop



## TRD 100

cod. 10286995

- Type of Control: W-DMX / LumenRadio
- DMX Channels & Virtual Channels: 2x 512
- Wireless DMX Control Capabilities: Supports CRMX and W-DMX G3 and W-DMX G4S Up to 16 DMX universes in one area
- DMX Connector Type: 2x 3/5 pin DMX In and 2x 3/5 pin DMX Out
- Max Power Consumption: 3W
- Mounting & Installation Options: 1U rack, rigging hook mounting or Place flat on the tabletop



W-DMX



RC 100

cod. 10286808

- Type of Control: W-DMX / LumenRadio
- DMX Channels & Virtual Channels: 512
- Wireless DMX Control Capabilities: Supports CRMX and W-DMX G3 and W-DMX G4S  
Up to 16 DMX universes in one area
- DMX Connector Type:
  - 3-pin
  - 5-pin DMX Female
- Max Power Consumption: 3W
- Mounting & Installation Options: Rigging hook mounting or Place flat on the tabletop



RC 100 IP

cod. 10286996

- Type of Control: W-DMX / LumenRadio
- DMX Channels & Virtual Channels: 512
- Wireless DMX Control Capabilities: Supports CRMX and W-DMX G3 and W-DMX G4S  
Up to 16 DMX universes in one area
- DMX Connector Type:
  - 3-pin DMX Female
- Max Power Consumption: 3W
- Mounting & Installation Options:
  - Rigging hook mounting (M10 thread)
  - Surface strap fixing
  - Place flat on the tabletop



DM4 DIMMER DMX

cod. 10286993

- Type of Control: DMX
- DMX Channels & Virtual Channels: 4 DMX Channel
- DMX Connector Type: 3-pin DMX In and 3-pin DMX Out
- Max Power Consumption: 3680W Max
- Mounting & Installation Options: Rigging hook mounting, wall/surface screw fixing or place flat on tabletop / floor





**ILLUMINATE  
YOUR WORLD,  
ANYWHERE, ANYTIME**

Introducing the Hydro series of LED stage and studio lighting; the ultimate fusion of power and versatility! The Hydro series includes battery-powered outdoor floodlights designed for stage, studio, decorative and event applications, offering perfect lighting solutions for any environment. With an IP65 rating, these floodlights are built to withstand the elements, ensuring reliable performance in even the most demanding outdoor environments. Available in various sizes, the Hydro series is perfect for everything from intimate performances to large-scale events. Choose from sleek black or vibrant colors to suit your creative vision and elevate your lighting game.

# HYDRO SERIES

## Battery Outdoor LED



60°/10°  
Filter  
Diffuser  
Included

30° Filter  
Diffuser  
Included



## HYDRO B60

cod. 10297603

- 3 LED x 20W
- RGBL
- Lens: 10°/30°/60°
- Lux: 28.400 lux @ 1m
- Protocols: CRMX, W-DMX
- Wireless Control: Yes
- DMX Channel: 3 DMX Modes (From 6 to 10 DMX Channels)
- Remote control included



## HYDRO B60 SET

cod. 10304284

- 3 LED x 20W
- RGBL
- Lens: 10°/30°/60°
- Lux: 28.400 lux @ 1m
- Protocols: CRMX, W-DMX
- Wireless Control: Yes
- DMX Channel: 3 DMX Modes (From 6 to 10 DMX Channels)
- Remote control, Hanging
- Brackets and Floor Stand included



## ACCESSORIES FOR HYDRO B60/SET

Battery Charging  
Flightcase For 6  
Hydro B60 / For  
12 Hydro B60

cod. 10303860 (6u)  
cod. 10304061 (12u)



Battery  
Hydro B60

cod. 10297604



Flightcase  
For 6 Hydro  
B60

cod. 10297614



Half Snoot  
Hydro B60

cod. 10297613



Adjustable  
Floor Stand  
Hydro B60

cod. 10297611



Hanging  
Bracket  
Hydro B60

cod. 10297612



LED Ball 50  
Hydro B60

cod. 10297605



Chrome Cover  
Hydro B60 /  
White Cover  
Hydro B60

cod. 10297609 (chrome)  
cod. 10297610 (white)



LED Tube  
11 Hydro

cod. 10297606



LED Tube 50  
Hydro B60/  
Led Tube 80  
Hydro B60

cod. 10297608 (AB60-005)  
cod. 10297607 (AB60-004)



Battery Outdoor LED



HYDRO B140

cod. 10297601

- 7 LED x 20w
- RGBL
- Lens: 10°/30°/60°
- Lux: 30.170 lux @ 1m

- Protocols: CRMX, W-DMX
- Wireless Control: Yes
- DMX Channel: 3 DMX Modes (From 6 to 10 DMX Channels)
- Remote control included



ACCESSORIES

Battery Charging Flightcase For 6 Hydro B140

cod. 10303862

Battery Hydro B140

cod. 10297602



HYDRO W300

cod. 10297596

- 15 LED x 20w
- RGBL
- Lens: 10°/30°/60°
- Lux: 79.400 lux @ 1m

- Protocols: CRMX, W-DMX
- Wireless Control: Yes
- DMX Channel: 3 DMX Modes (From 6 to 10 DMX Channels)
- Remote control included



ACCESSORIES

Battery Charging Flightcase For 4 Hydro W300

cod. 10303861

Barndoor Hydro W300

cod. 10297597

Half blade Barndoor Hydro W300

cod. 10300417

Battery Hydro W300

cod. 10297600

60X10° Filter Diffuser Hydro W300

cod. 10297599

Holder Hydro W300

cod. 10300416

30° Filter Diffuser Hydro W300

cod. 10297598



Mobile LED Bar



SOLAR 480

cod. 10297861

- 12 LED x 40W
- RGBW
- Lens: 4° to 53°
- Lux: 18.460 lux @ 5m
- IP Rate: IP20
- Protocols: ArtNet, DMX512, RDM
- DMX Channel: DMX Modes (From 19 to 64 DMX Channel)



ACCESSORIES

Flightcase For 3  
Solar 480

cod. 10298586





# SHINE BRIGHT, NO MATTER THE WEATHER

The ultimate high-power LED blinder engineered to redefine outdoor lighting. Packing a massive 600W of raw power, this modular IP65 powerhouse delivers flawless color mixing and a stunningly rich warm white that commands attention in any environment. Built for visionaries, its cutting-edge modular rigging system lets you seamlessly link up to five units in a colossal line array, delivering a jaw-dropping visual punch tailored to the most demanding productions. The Helios 700 is the weapon for festivals, stadium concerts, and massive outdoor events demanding peak performance.

# HELIOS SERIES

## Outdoor LED Washer



## HELIOS 700 IP65

cod. 10314376

- 2 LED x 300w
- RGBAWW
- Lens: 50°
- Lux: 26.000 lux @ 1m
- IP Rate: IP65
- Protocols: DMX512,RDM
- DMX Channel: 17 DMX Modes (From 1 to 41 DMX Modes)

GREEN  
SOLUTION

IP65

LED  
TECHNOLOGY

DMX 5 PIN

STAND  
ALONE MODEMASTER/  
SLAVE

RDM



RGBA

COLD  
WHITEWARM  
WHITEPIXEL  
CONTROLFLICKER  
FREE

POLYTRON

## ACCESSORIES

Flightcase For  
4 Helios 700

cod. 10300500

Helios 700  
Holder AH004

cod. 10314492

Helios 700  
Holder AH001

cod. 10314488

Helios 700  
Holder AH003

cod. 10314491

Helios 700  
Baseboard  
AH002

cod. 10314489



Outdoor LED Washer



KOSMOS 1200 IP65

cod. 10297857

- 392 LED x 1.56w, 784 LED x 1w
- RGB, White LED
- Aperture: 117°
- Lux: 1.600 lux @ 5m
- IP Rate: IP65
- Protocols: ArtNet, DMX512, RDM
- DMX Channel: 8 DMX Modes (From 8 to 97 DMX Channels)
- 2 claws for a 500 mm tube included

|                |            |                |           |                  |              |                  |     |
|----------------|------------|----------------|-----------|------------------|--------------|------------------|-----|
| GREEN SOLUTION | IP65       | LED TECHNOLOGY | DMX 5 PIN | STAND ALONE MODE | MASTER SLAVE | ART NET ETHERNET | RDM |
| RGB            | COLD WHITE | TILT           | STROBE    | PIXEL CONTROL    | FLICKER FREE | PARAFIX          |     |

ACCESSORIES

Flightcase For 4 Kosmos 1200  
cod. 10300499



Outdoor LED Washer



KOSMOS 1000 IP65

cod. 10297855

- 40 LED x 30w
- RGBW
- Lens: 20°
- Lux: 33.320 lux @ 5m

- IP Rate: IP65
- Protocols: DMX512, RDM
- DMX Channel: 3 DMX Modes (From 4 to 20 DMX Channels)



ACCESSORIES

Flightcase For 2 Kosmos 1000  
cod. 10300497



Kosmos 1000 Diffuser 40°  
cod. 10297874




KOSMOS 270 IP65

cod. 10297856

- 27 LED x 10w
- RGBW
- Lens: 25°
- Lux: 9.650 lux @ 5m

- IP Rate: IP65
- Protocols: DMX512, RDM, W-DMX
- Wireless Control: Yes
- DMX Channel: 3 DMX Modes (From 4 to 8 DMX Channels)



ACCESSORIES

Flightcase For 8 Kosmos 270  
cod. 10300498



Kosmos 270 Diffuser 40°  
cod. 10299866



Moving Heads



PYTHON 100 IP65

cod. 10301725

- 1 x 100w Laser Phosphor
- CMY
- Lens: 1°

- IP Rate: IP65
- Protocols: DMX512,RDM
- DMX Channel: 2 DMX Modes (From 21 to 26 DMX Channels)



PYTHON W19 IP65

cod. 10301990

- 19 LED x 60w
- RGBW
- Zoom: 4° to 54°
- Lux: 51.300 lux @ 5m
- IP Rate: IP65

- Protocols: ArtNet, DMX512, KlingNet, RDM, sACN
- Wireless Control: Yes
- DMX Channel: 3 DMX Modes (From 17 to 93 DMX Channels)



PYTHON W7 IP65

cod. 10301989

- 7 Led x 60w
- RGBW
- Zoom: 4° to 54°
- Lux: 16.600 lux @ 5m

- IP Rate: IP65
- Protocols: ArtNet, DMX512, KlingNet, RDM, sACN
- DMX Channel: 3 DMX Modes (From 17 to 45 DMX Channels)



ACCESSORIES

Flightcase For 2 Python 100

cod. 10302360



ACCESSORIES

Flightcase For 2 Python W19

cod. 10302365



ACCESSORIES

Flightcase For 4 Python W7

cod. 10302364




## Moving Heads



## HALLEY H450

cod. 10297862

- 1 LED x 450w
- CMY
- Zoom: 4° to 53°
- Lux: 26.000 lux @ 10m
- IP Rate: IP20
- Protocols: ArtNet, DMX512, RDM
- DMX Channel: 2 DMX Modes (From 33 to 36 DMX Channels)



## ACCESSORIES

Flightcase For 2  
Halley H450

cod. 10298587



Moving Heads



ORION B200

cod. 10286998

- LED Configuration: 1 LED x 200w, Ring: 43 LED x 0.12w
- Source: RGB Ring, White LED
- Lens: 2.5°
- Lux: 129.000 lux @ 5m

- IP Rate: IP20
- Protocols: DMX512, RDM
- Wireless Control: No
- DMX Channels: 2 DMX Modes (From 19 to 24 DMX Channels)

ORION S200

cod. 10286999

- LED Configuration: 1 LED x 200w, Ring: 43 LED x 0.12w
- Source: RGB Ring, White LED
- Lens: 15°
- Lux: 7.540 lux @ 5m


- IP Rate: IP20
- Protocols: DMX512, RDM
- Wireless Control: No
- DMX Channels: 2 DMX Modes (From 18 to 23 DMX Channels)

ORION W40

cod. 10285820

- LED Configuration: 7 LED x 40w, Ring: 60 LED x 0.2w
- Source: RGB Ring
- Lens: 26°
- Lux: 1.049 lux @ 5m

- IP Rate: IP20
- Protocols: DMX512, RDM
- Wireless Control: No
- DMX Channels: 2 DMX Modes (From 16 to 20 DMX Channels)



ACCESSORIES

Flightcase  
Orion 200 FC  
cod. 10286979



Indoor LED Par



**COMET 228**

cod. 10286871

- LED Configuration: 19 LED x 12w
- Source: RGBWA+UV
- Lens: 26°
- Lux: 25.300 lux @ 1m

- IP Rate: IP20
- Protocols: DMX512
- DMX Channels: 2
- DMX Modes (From 12 to 30 DMX Channels)

LED TECHNOLOGY

DMX 3 PIN

STAND ALONE MODE

MASTER SLAVE

IR CONTROL

RGBWA

UV

STROBE

3 ZONES CONTROL

SOUND CONTROL



**COMET 336**

cod. 10287004

- LED Configuration: 28 LED x 12w
- Source: RGBW
- Lens: 12° to 60°
- Lux: 1.200 lux @ 5m, 24.500 lux @ 1 m

- IP Rate: IP20
- Protocols: DMX512
- DMX Channels: 2
- DMX Modes (From 15 to 29 DMX Channels)

LED TECHNOLOGY

DMX 3 PIN

STAND ALONE MODE

MASTER SLAVE

RGBW

ZOOM

STROBE

4 ZONES CONTROL

SOUND CONTROL



**COMET 84 NEON**

cod. 10287003

- LED Configuration: 7 LED x 12w
- Ring: 60 LED x 0.6w
- Source: RGBW
- Lens: 26°
- Lux: 22.530 lux @ 1m

- IP Rate: IP20
- Protocols: DMX512
- DMX Channels: 2
- DMX Modes (From 12 to 17 DMX Channels)

LED TECHNOLOGY

DMX 3 PIN

STAND ALONE MODE

MASTER SLAVE

RGBW

STROBE

LED RING

SOUND CONTROL



### Outdoor LED Par



#### AQUA METEOR 336Z

cod. 10287006


- LED Configuration: 28 LED x 12w
- Source: RGBW
- Lens: 12° to 60°
- Lux: 24.500 lux @ 1m
- IP Rate: IP65
- Protocols: DMX512
- DMX Channels: 2 DMX Modes (From 13 to 29 DMX Channels)



#### AQUA METEOR 84 NEON

cod. 10286870

- LED Configuration: 7 LED x 12w, Ring: 60 LED x 0.6w
- Source: RGBW
- Lens: 26°
- Lux: 22.530 lux @ 1m (RGBW) / 2.560 lux @ 3m (RGBW)
- IP Rate: IP65
- Protocols: DMX512
- DMX Channels: 2 DMX Modes (From 12 to 17 DMX Channels)



Outdoor LED Par



|                                                                                                                                  |                                                                                                                                                           |
|----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>AQUA 200WW</b>                                                                                                                | <b>cod. 10286856</b>                                                                                                                                      |
| <ul style="list-style-type: none"><li>• 1 LED x 200w</li><li>• CW+WW</li><li>• Lens: 60°</li><li>• Lux: 9,150 lux @ 1m</li></ul> | <ul style="list-style-type: none"><li>• IP Rate: IP65</li><li>• Protocols: DMX512</li><li>• DMX Channel: 2 DMX Modes (From 3 to 6 DMX Channels)</li></ul> |



|                                                                                                                                     |                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>AQUA 200</b>                                                                                                                     | <b>cod. 10286868</b>                                                                                                                                           |
| <ul style="list-style-type: none"><li>• 1 COB LED x 200w</li><li>• RGBA</li><li>• Lens: 60°</li><li>• Lux: 3,392 lux @ 1m</li></ul> | <ul style="list-style-type: none"><li>• IP Rate: IP65</li><li>• Protocols: DMX512, RDM</li><li>• DMX Channel: 2 DMX Modes (From 4 to 8 DMX Channels)</li></ul> |



|                                                                                                                                      |                                                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>AQUA 180</b>                                                                                                                      | <b>cod. 10286858</b>                                                                                                                                       |
| <ul style="list-style-type: none"><li>• 18 LED x 10w</li><li>• RGBWA+UV</li><li>• Lens: 45°</li><li>• Lux: 15,560 lux @ 5m</li></ul> | <ul style="list-style-type: none"><li>• IP Rate: IP65</li><li>• Protocols: DMX512</li><li>• DMX Channel: 2 DMX Modes (From 6 to 10 DMX Channels)</li></ul> |



ACCESSORIES

Flightcase for 8 Aqua Series

cod. 10287482



Aqua Barndoor

cod. 10287483



Aqua Diffuser 50°

cod. 10287484



### Outdoor LED Par



#### AQUA 120WW

cod. 10286859

- 12 LED x 10w
- CW, WW
- Lens: 25°
- Lux: 2.317 lux @ 5m
- IP Rate: IP65
- Protocols: DMX512
- DMX Channel: 2 DMX Modes (From 3 to 6 DMX Channels)



#### AQUA 120

cod. 10286857

- 12 LED x 10W
- RGBWA+UV
- 25°
- Lux: 16.730 lux @ 1m
- IP Rating: IP65
- Protocols: DMX512, RDM
- Wireless Control: Yes
- DMX Channel: 2 DMX Modes (From 6 to 10 DMX Channels)



### ACCESSORIES

Flightcase for 8 Aqua Series

cod. 10287482



Aqua Barndoor

cod. 10287483



Aqua Diffuser 50°

cod. 10287484



### LED Fresnel Projectors



#### STELLAR 400

cod. 10297620

- 1 COB LED x 500w
- RGBAL
- Zoom: Motorized Zoom 15° to 35°
- Lux: 32.700 lux @ 2m
- IP Rate: IP20
- Protocols: RDM, DMX
- DMX Channel: 3 DMX Modes (From 6 to 10 DMX Channels)



#### ACCESSORIES

Flightcase For 4 Stellar 400

cod. 10301701



### LED Fresnel Projectors



#### STELLAR 300

cod. 10287036

- 1 LED x 300w
- WW
- Zoom: 15° to 60°, Manual
- Lux: 45.649 lux @ 2m
- IP Rate: IP20
- Protocols: DMX512
- DMX Channel: 1 DMX Mode (1 DMX Channel)

#### STELLAR 200

cod. 10287037

- 1 LED x 200w
- CW+WW
- Zoom: 10° to 35°, Manual
- Lux: 11.432 lux @ 2m
- IP Rate: IP20
- Protocols: DMX512
- DMX Channel: 2 DMX Modes (From 2 to 3 DMX Channels)

#### STELLAR 50

cod. 10287038

- 1 LED x 50w
- CW+WW
- Zoom: 10° to 35°, Manual
- Lux: 8.953 lux @ 2m
- IP Rate: IP20
- Protocols: DMX512
- DMX Channel: 2 DMX Modes (From 2 to 3 DMX Channels)

#### STELLAR L160

cod. 10285530

- 1 LED x 160w
- WW
- Zoom: 10° to 35° Motorized
- Lux: 1.836 lux @ 5m
- IP Rate: IP20
- Protocols: DMX512
- DMX Channel: 3 DMX Modes (From 2 to 4 DMX Channels)



### Profile



### HORIZON E300

cod. 10286245

- 1 COB LED 300W
- Source: White LED
- Zoom: Manual
- Lux: 8.416 lux @ 1m
- IP Rate: IP20
- Protocols: DMX512



### HORIZON E300 RGBAL

cod. 10287039

- LED Configuration: 1 COB LED 300W
- Source: RGBAL
- Zoom: Manual
- Lux: 3.870 lux @ 1m (15°)
- RGBAL
- IP Rate: IP20
- Protocols: DMX512



### HORIZON E69 IP65

cod. 10287054

- 1 WW LED x 60W + 1 CW LED 60W
- Source: WW+CW
- Lux: 15.400 @ 1m (15°)
- IP Rate: IP65
- Protocols: DMX512/RDM



### ACCESSORIES

#### Horizon L2550

cod. 10285812



ZOOM 25-50°

#### Horizon L1530

cod. 10287053



ZOOM 15-30°

#### Horizon R2

For metal gobos  
cod. 10285819



#### Horizon R3

For glass gobos  
cod. 10287050



#### Horizon Iris

cod. 10285812



Compatible with all L2550 and L1530 optics

### ACCESSORIES

#### Horizon L2550 IP65

cod. 10287056



ZOOM 25-50°

#### Horizon L1530 IP

cod. 10287055



ZOOM 15-30°

#### Horizon R4 IP

cod. 10287057



The image features two large, rectangular LED projectors with black frames and handles, positioned on a dark background. They are emitting vibrant, multi-colored light trails in shades of purple, pink, blue, and yellow, creating a dynamic and magical atmosphere. The projectors are angled towards each other, with the light trails appearing to flow between them.

# WHERE STAGE MAGIC HAPPENS

Triton-Blue's Neptune Soft Panel LED projectors are the ideal solution for providing vivid, natural lighting in a variety of environments, from TV studios and film sets to live outdoor or indoor broadcasts. The powerful LED panels feature flicker-free operation and an exceptional color rendering index, ensuring high quality recordings in environments where lighting is essential.

# NEPTUNE SERIES

## LED TV Panels



## NEPTUNE 400 IP65

cod. 10297619

- LED Configuration: 460 LED RGB x 2.60w, 468 LED CW x 0.85w, 468 LED WW
- Source: CW, WW, RGB
- Lens: 110°
- Lux: 2.292 lux @ 2m
- IP Rate: IP65
- Protocols: DMX512, RDM, sACN, Art-Net
- DMX Channel: 6 DMX Models (From 6 to 15 DMX Channels)



## NEPTUNE 400

cod. 10297617

- LED Configuration: RGB LED x 900w, CW LED x 400w, WW LED x 400w
- Source: CW, WW, RGB
- Lens: 110°
- Lux: 3.328 lux @ 2m
- IP Rate: IP20
- Protocols: DMX512, RDM, sACN, Art-Net
- DMX Channel: 6 DMX Modes (From 6 to 15 DMX Channels)



## NEPTUNE 300

cod. 10287008

- LED Configuration: 1.488 LED x 0.5w
- Source: CW+WW
- Lens: 120°
- Lux: 11.120 lux @ 1m
- IP Rate: IP20
- Protocols: DMX512, RDM
- DMX Channel: 3 DMX Modes (From 1 to 3 DMX Channels)



## ACCESSORIES

Flightcase For 2 Neptune 400

cod. 10301699



Neptune 400 Barndoor

cod. 10297622




Neptune 400 Diffuser

cod. 10297624



LED TV Panels



**NEPTUNE 200**

**cod. 10297616**

- LED Configuration: RGB LED x 75w, WW LED x 200w, CW LED x 200w
- Source: CW, RGB, WW
- Lens: 110°
- IP Rate: IP20
- Protocols: ArtNet, DMX512, RDM, sACN
- DMX Channel: 6 DMX Models (From 6 to 15 DMX Channels)



**NEPTUNE 200 CW+WW**

**cod. 10287007**

- LED Configuration: 224 CW LED x 0.5w, 224 WW LED x 0.5w
- Source: CW, WW
- Lens: 130°
- Lux: 11.120 lux @ 1m
- IP Rate: IP20
- Protocols: DMX512
- DMX Channels: 1 Mode (3 Channels)



ACCESSORIES

Flightcase For 4 Neptune 200  
cod. 10301698

Neptune 200 Barn door  
cod. 10297667





| DRACO 1500 LF                                                                                                                                                                                                                |                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| cod. 10287061                                                                                                                                                                                                                |                                                                                                                                                  |
| <ul style="list-style-type: none"><li>• DMX Control Capabilities: Yes</li><li>• Heat-Up Time for Operation (min): 3,5</li><li>• Fluid Bottle Capacity: 1.8L</li><li>• Output Volume &amp; Distance: 9,000 cuft/min</li></ul> | <ul style="list-style-type: none"><li>• Max Power Consumption: 1500 Watt</li><li>• Mounting &amp; Installation Options: Floor Standing</li></ul> |

DMX

HIGH OUTPUT

FLUID TANK

WATER TANK

FAST HEATUP

LOW FOG

CONTINUOUS OUTPUT



| DRACO 2000C LF                                                                                                                                                                                                                |                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| cod. 10287065                                                                                                                                                                                                                 |                                                                                                                                                  |
| <ul style="list-style-type: none"><li>• DMX Control Capabilities: Yes</li><li>• Heat-Up Time for Operation (min): 3,5</li><li>• Fluid Bottle Capacity: 2.8L</li><li>• Output Volume &amp; Distance: 20,000 cuft/min</li></ul> | <ul style="list-style-type: none"><li>• Max Power Consumption: 2000 Watt</li><li>• Mounting &amp; Installation Options: Floor Standing</li></ul> |

DMX

HIGH OUTPUT

FLUID TANK

WATER TANK

FAST HEATUP

LOW FOG

CONTINUOUS OUTPUT



DMX Turbine



ORBIT DMX

cod. 10287060

- DMX Control Capabilities: YES
- Fluid Bottle Capacity: No Fluid bottle
- Output Volume & Distance: 3400 m<sub>3</sub>/min
- Max Power Consumption: 180Watt
- Mounting & Installation Options: Yes



Polaris Series



POLARIS 1500C

cod. 10287063

- DMX Control Capabilities: Yes
- Heat-Up Time for Operation (min): 2
- Fluid Bottle Capacity: 5L
- Output Volume & Distance: 8,000 cuft/min
- Max Power Consumption: 1500 Watt
- Mounting & Installation Options: Floor Standing



POLARIS 950

cod. 10287064

- DMX Control Capabilities: Yes
- Heat-Up Time for Operation (min): 2,5
- Fluid Bottle Capacity: 1.2L
- Output Volume & Distance: 6,000 cuft/min
- Max Power Consumption: 950 Watt
- Mounting & Installation Options: Floor Standing or Hanging Bracket



ACCESSORIES

Orbit DMX FLY Flightcase  
cod. 10286974





Hazer  
fluid

### HYDRA HOB5

cod. 10270653

- Type of Fluid: Oil
- Available Sizes (L): 5
- Compatible Machines: Hazer
- Safety Guidelines & Precautions: Non-toxic, non-flammable, oil-based formulation. Do not ingest. Keep out of reach of children. Use in well-ventilated areas.
- Shelf Life & Expiration: Approximately 3 years unopened
- 1 year after opening.



Fog/Hazer  
fluid

### HYDRA NFF5

cod. 10270651

- Type of Fluid: Water
- Available Sizes (L): 5
- Compatible Machines: Fog/Hazer
- Safety Guidelines & Precautions: Non-toxic, non-flammable, water-based formulation. Do not ingest. Keep out of reach of children. Use in well-ventilated areas.
- Shelf Life & Expiration: Approximately 3 years unopened
- 1 year after opening.



Low fog  
fluid

### HYDRA LFF5

cod. 10270675

- Type of Fluid: Water
- Available Sizes (L): 5
- Compatible Machines: Low Fog
- Safety Guidelines & Precautions: Non-toxic, non-flammable, water-based formulation. Do not ingest. Keep out of reach of children. Use in well-ventilated areas.
- Shelf Life & Expiration: Approximately 3 years unopened
- 1 year after opening.



Hazer  
fluid

### HYDRA NHF5

cod. 10270652

- Type of Fluid: Water
- Available Sizes (L): 5
- Compatible Machines: Hazer
- Safety Guidelines & Precautions: Non-toxic, non-flammable, water-based formulation. Do not ingest. Keep out of reach of children. Use in well-ventilated areas.
- Shelf Life & Expiration: Approximately 3 years unopened
- 1 year after opening.



Fog/Hazer  
fluid

### HYDRA NFLI

cod. 10300447

- Type of Fluid: Water
- Available Sizes (L): 5
- Compatible Machines: Fog/Hazer
- Safety Guidelines & Precautions: Non-toxic, non-flammable, water-based formulation. Do not ingest. Keep out of reach of children. Use in well-ventilated areas.
- Shelf Life & Expiration: Approximately 3 years unopened
- 1 year after opening.



Cleaner

### HYDRA SM1

cod. 10287058

- Cleaner
- Special maintenance fluid
- For cleaning and maintenance of smoke machines, necessary to prolong their life.
- The product is a universal cleaning liquid that is part of the Triton Blue professional range.
- Do not splash people or objects during use
- Wear safety eye glasses.

Fixed gobos



HORIZON 15

cod. 10287012

- Source: White LED
- Zoom: No
- Rotation Gobos: No
- Max Power Consumption: 15W



COLD  
WHITE



FIXED GOBO  
WHEEL



FLICKER  
FREE



HORIZON 15E

cod. 10287011

- Source: White LED
- Zoom: No
- Rotation Gobos: No
- Max Power Consumption: 15W



COLD  
WHITE



FIXED GOBO  
WHEEL



FLICKER  
FREE



Fixed gobos



|                                                                                                                                                      |                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <b>HORIZON 30<br/>AQUA</b>                                                                                                                           | <b>cod. 10287017</b> |
| <ul style="list-style-type: none"><li>•Source: White LED</li><li>•Zoom: No</li><li>•Rotation Gobos: No</li><li>•Max Power Consumption: 30W</li></ul> |                      |



Colors available:

|                         |                      |
|-------------------------|----------------------|
| <b>HORIZON 30 BLACK</b> | <b>cod. 10270676</b> |
| <b>HORIZON 30 WHITE</b> | <b>cod. 10287015</b> |



Rotative gobos



|                                                                                                                                                                                   |                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <b>HORIZON 40R<br/>AQUA</b>                                                                                                                                                       | <b>cod. 10287019</b> |
| <ul style="list-style-type: none"><li>•Source: White LED</li><li>•Zoom: No</li><li>•Rotation Gobos: 1 Interchangeable Rotating Gobo</li><li>•Max Power Consumption: 40W</li></ul> |                      |



|                                                                                                                                                                                   |                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <b>HORIZON 60R<br/>AQUA</b>                                                                                                                                                       | <b>cod. 10287020</b> |
| <ul style="list-style-type: none"><li>•Source: White LED</li><li>•Zoom: No</li><li>•Rotation Gobos: 1 Interchangeable Rotating Gobo</li><li>•Max Power Consumption: 60W</li></ul> |                      |



|                                                                                                                                                                                   |                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <b>HORIZON 80R<br/>AQUA</b>                                                                                                                                                       | <b>cod. 10287021</b> |
| <ul style="list-style-type: none"><li>•Source: White LED</li><li>•Zoom: No</li><li>•Rotation Gobos: 1 Interchangeable Rotating Gobo</li><li>•Max Power Consumption: 80W</li></ul> |                      |



|                                                                                                                                                                                    |                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <b>HORIZON 100R<br/>AQUA</b>                                                                                                                                                       | <b>cod. 10287022</b> |
| <ul style="list-style-type: none"><li>•Source: White LED</li><li>•Zoom: No</li><li>•Rotation Gobos: 1 Interchangeable Rotating Gobo</li><li>•Max Power Consumption: 100W</li></ul> |                      |



|                                                                                                                                                                                    |                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <b>HORIZON 300R<br/>AQUA</b>                                                                                                                                                       | <b>cod. 10287024</b> |
| <ul style="list-style-type: none"><li>•Source: White LED</li><li>•Zoom: No</li><li>•Rotation Gobos: 1 Interchangeable Rotating Gobo</li><li>•Max Power Consumption: 300W</li></ul> |                      |



|                                                                                                                                                                                    |                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <b>HORIZON 400R<br/>AQUA</b>                                                                                                                                                       | <b>cod. 10287025</b> |
| <ul style="list-style-type: none"><li>•Source: White LED</li><li>•Zoom: No</li><li>•Rotation Gobos: 1 Interchangeable Rotating Gobo</li><li>•Max Power Consumption: 400W</li></ul> |                      |



Accessories

For Horizon 300R / 400R

Horizon L15-300IP  
cod. 10287033



Horizon L30-300IP  
cod. 10287034



Horizon L50-300IP  
cod. 10287035



For Horizon Aqua 40R / 60R / 80R

Horizon L15-40IP  
cod. 10287027



Horizon L30-40IP  
cod. 10287028



Horizon L50-40IP  
cod. 10287029



For Horizon 100R

Horizon L15-100IP  
cod. 10287030



Horizon L30-100IP  
cod. 10287031



Horizon L50-100IP  
cod. 10287032



| POWER | LENS         | LUX          |              |
|-------|--------------|--------------|--------------|
| 40W   | 15° (1:0.25) | 5m: 1700lux  | 15m: 185lux  |
|       | 30° (1:0.5)  | 2m: 2100lux  | 6m: 235lux   |
|       | 50° (1:1)    | 2m: 530lux   | 6m: 60lux    |
| 60W   | 15° (1:0.25) | 5m: 2300lux  | 15m: 250lux  |
|       | 30° (1:0.5)  | 2m: 2900lux  | 6m: 325lux   |
|       | 50° (1:1)    | 2m: 720lux   | 6m: 85lux    |
| 80W   | 15° (1:0.25) | 5m: 2800lux  | 15m: 305lux  |
|       | 30° (1:0.5)  | 2m: 3500lux  | 6m: 400lux   |
|       | 50° (1:1)    | 2m: 880lux   | 6m: 100lux   |
| 100W  | 15° (1:0.25) | 5m: 3810lux  | 15m: 420lux  |
|       | 30° (1:0.5)  | 2m: 4700lux  | 6m: 550lux   |
|       | 50° (1:1)    | 2m: 1180lux  | 6m: 161lux   |
| 150W  | 15° (1:0.25) | 5m: 5550lux  | 15m: 620lux  |
|       | 30° (1:0.5)  | 2m: 6980lux  | 6m: 815lux   |
|       | 50° (1:1)    | 2m: 1600lux  | 6m: 208lux   |
| 300W  | 15° (1:0.25) | 5m: 10000lux | 15m: 1080lux |
|       | 30° (1:0.5)  | 2m: 13000lux | 6m: 1580lux  |
|       | 50° (1:1)    | 2m: 3630lux  | 6m: 492lux   |
| 400W  | 15° (1:0.25) | 5m: 10200lux | 15m: 1110lux |
|       | 30° (1:0.5)  | 2m: 13200lux | 6m: 1610lux  |
|       | 50° (1:1)    | 2m: 3820lux  | 6m: 510lux   |



| FC RACK 10-12U |                    |                |
|----------------|--------------------|----------------|
| ID             | BOTTOM DIMENSIONS  | TOP DIMENSIONS |
| 10286965       | 19" x 12U x 512 mm | 10U x 19"      |



| FC 16M   |        |        |                     |
|----------|--------|--------|---------------------|
| ID       | NAME   | WHEELS | INTERNAL DIMENSIONS |
| 10286976 | FC 16M | Yes    | 16 x Ø 11cm         |



| FC-M RACK |              |        |                     |
|-----------|--------------|--------|---------------------|
| ID        | NAME         | WHEELS | INTERNAL DIMENSIONS |
| 10286962  | FC-M Rack 2U | No     | 50.5 x 10 x 30 cm   |
| 10286963  | FC-M Rack 3U | No     | 50.5 x 18 x 30 cm   |
| 10286964  | FC-M Rack 4U | No     | 50.5 x 22 x 30 cm   |



| FCX      |      |        |                                                  |
|----------|------|--------|--------------------------------------------------|
| ID       | NAME | WHEELS | INTERNAL DIMENSIONS                              |
| 10286972 | FCX4 | Yes    | 4 x 514 x 437 x 160 mm<br>3 x 435 x 378 x 71 mm  |
| 10286973 | FCX7 | Yes    | 3 x 435 x 378 x 115 mm<br>1 x 435 x 378 x 250 mm |



| FC RACK  |             |        |                |
|----------|-------------|--------|----------------|
| ID       | NAME        | WHEELS | TOP DIMENSIONS |
| 10286952 | FC Rack 2U  | No     | 2U x 19"       |
| 10286953 | FC Rack 4U  | No     | 4U x 19"       |
| 10286954 | FC Rack 6U  | No     | 6U x 19"       |
| 10286955 | FC Rack 10U | No     | 10U x 19"      |
| 10286956 | FC Rack 12U | Yes    | 12U x 19"      |
| 10286957 | FC Rack 20U | Yes    | 20U x 19"      |



| FC       |      |        |                     |
|----------|------|--------|---------------------|
| ID       | NAME | WHEELS | INTERNAL DIMENSIONS |
| 10286966 | FC 1 | No     | 119 x 49 x 49 cm    |
| 10286967 | FC 2 | No     | 103 x 41 x 39 cm    |
| 10286968 | FC 3 | No     | 52 x 41 x 40 cm     |
| 10286969 | FC 4 | No     | 58 x 41 x 50 cm     |
| 10286970 | FC 5 | Yes    | 95 x 60 x 59 cm     |
| 10286971 | FC 6 | Yes    | 95 x 60 x 59 cm     |
| 10286978 | FC T | No     | 39 x 11 x 13 cm     |



\*Reference for  
wheeled versions



PROBUCKLER

Triton Blue flight cases are manufactured using high-quality plywood. The top surface features a specially impregnated PROBUCKLER resin with a honeycomb pattern, providing a non-slip finish, increased durability, and easier cleaning. The outer layer incorporates an acrylic latex coating that enhances water resistance, significantly extending the flight case's lifespan when used outdoors or during the demanding tours and long-term road use for which it has been designed.



SA 4852 75

| ID       | NAME          | COLOR  | GRIP RANGE       | MAX KG |
|----------|---------------|--------|------------------|--------|
| 10286884 | SA 4852 75 BK | Black  | From 48 to 52 mm | 75     |
| 10286883 | SA 4852 75 S  | Silver | From 48 to 52 mm | 75     |

Colors available:  



DA 4852

| ID       | NAME           | COLOR  | GRIP RANGE       | MAX KG |
|----------|----------------|--------|------------------|--------|
| 10286897 | DA 4852 300 BK | Black  | From 38 to 52 mm | 300    |
| 10286896 | DA 4852 300 S  | Silver | From 38 to 52 mm | 300    |
| 10286899 | DA 4852 500 BK | Black  | From 48 to 52 mm | 500    |

Colors available:  



SA 3852

| ID       | NAME           | COLOR  | GRIP RANGE       | MAX KG |
|----------|----------------|--------|------------------|--------|
| 10286888 | SA 3852 300 BK | Black  | From 38 to 52 mm | 300    |
| 10286887 | SA 3852 300 S  | Silver | From 38 to 52 mm | 300    |
| 10286890 | SA 3852 500 BK | Black  | From 38 to 52 mm | 500    |
| 10286889 | SA 3852 500 S  | Silver | From 38 to 52 mm | 500    |

Colors available:  



SAE 300

| ID       | NAME            | COLOR  | GRIP RANGE       | MAX KG |
|----------|-----------------|--------|------------------|--------|
| 10273805 | SAE 3853 300 BK | Black  | From 38 to 52 mm | 300    |
| 10286891 | SAE 3853 300 S  | Silver | From 38 to 52 mm | 300    |

Colors available:  



SA 60

| ID       | NAME          | COLOR  | GRIP RANGE       | MAX KG |
|----------|---------------|--------|------------------|--------|
| 10286882 | SA 1922 60 BK | Black  | From 19 to 22 mm | 60     |
| 10286881 | SA 1922 60 S  | Silver | From 19 to 22 mm | 60     |
| 10286886 | SA 2327 60 BK | Black  | From 23 to 27 mm | 60     |
| 10286885 | SA 2327 60 S  | Silver | From 23 to 27 mm | 60     |

Colors available:  



SA 3252 150

| ID       | NAME           | COLOR  | GRIP RANGE       | MAX KG |
|----------|----------------|--------|------------------|--------|
| 10286911 | SA 3252 150 S  | Silver | From 32 to 52 mm | 150    |
| 10286909 | SA 3252 150 BK | Black  | 52 mm            | 150    |

Colors available:  



SAE 75

| ID       | NAME          | COLOR  | GRIP RANGE       | MAX KG |
|----------|---------------|--------|------------------|--------|
| 10286895 | DA 4852 75 BK | Black  | From 48 to 52 mm | 75     |
| 10286894 | DA 4852 75 S  | Silver | From 48 to 52 mm | 75     |

Colors available:  



SA 3852 75

| ID       | NAME         | COLOR  | GRIP RANGE | MAX KG |
|----------|--------------|--------|------------|--------|
| 10286905 | SA 3852 75 S | Silver | 38 mm      | 75     |

Colors available: 



SA 3252 15025

| ID       | NAME             | COLOR | GRIP RANGE       | MAX KG |
|----------|------------------|-------|------------------|--------|
| 10286910 | SA 3252 15025 BK | Black | From 32 to 52 mm | 150    |

Colors available: ● ●



SS 100

| ID       | NAME           | COLOR  | GRIP RANGE       | MAX KG |
|----------|----------------|--------|------------------|--------|
| 10286901 | SS 3852 100 BK | Black  | From 38 to 52 mm | 100    |
| 10286900 | SS 3852 100 S  | Silver | From 38 to 52 mm | 100    |

Colors available: ● ●



SA 3852 150

| ID       | NAME           | COLOR  | GRIP RANGE       | MAX KG |
|----------|----------------|--------|------------------|--------|
| 10286907 | SA 3852 150 BK | Black  | From 38 to 52 mm | 150    |
| 10286906 | SA 3852 150 S  | Silver | From 38 to 52 mm | 150    |

Colors available: ● ●



SA 20

| ID       | NAME          | COLOR  | GRIP RANGE       | MAX KG |
|----------|---------------|--------|------------------|--------|
| 10286904 | SA 4852 20 BK | Black  | From 48 to 52 mm | 20     |
| 10286903 | SA 4852 20 S  | Silver | From 48 to 52 mm | 20     |

Colors available: ● ●



SA 150

| ID       | NAME           | COLOR  | GRIP RANGE       | MAX KG |
|----------|----------------|--------|------------------|--------|
| 10286909 | SA 3252 150 BK | Black  | From 32 to 55 mm | 150    |
| 10286908 | SA 4852 150 S  | Silver | From 48 to 52 mm | 150    |

Colors available: ● ●



SA 25

| ID       | NAME          | COLOR | GRIP RANGE | MAX KG |
|----------|---------------|-------|------------|--------|
| 10286892 | SA 2552 25 BK | Black | 25 mm      | 25     |

Colors available: ●



SA 150Q

| ID       | NAME           | COLOR  | GRIP RANGE       | MAX KG |
|----------|----------------|--------|------------------|--------|
| 10286893 | SA 3852 150Q S | Silver | From 38 to 52 mm | 150    |

Colors available: ●



AP 100

| ID       | NAME      | COLOR  | GRIP RANGE        | MAX KG |
|----------|-----------|--------|-------------------|--------|
| 10286913 | AP 100 S  | Silver | From 130 to 40 mm | 100    |
| 10286914 | AP 100 BK | Black  | From 130 to 40 mm | 100    |

Colors available: ● ●



SC 380

|          | NAME         | COLOR  | LENGHT | SECTION | MAX KG | LOCK NUT |
|----------|--------------|--------|--------|---------|--------|----------|
| 10286915 | SC 380 S     | Silver | 80 mm  | 3 mm    | 40     | No       |
| 10286916 | SC 380 BK    | Black  | 80 mm  | 3 mm    | 40     | No       |
| 10286917 | SC 480 S     | Silver | 80 mm  | 4 mm    | 60     | No       |
| 10286918 | SC 480 BK    | Black  | 80 mm  | 4 mm    | 60     | No       |
| 10286919 | SC 580 S     | Silver | 80 mm  | 5 mm    | 100    | No       |
| 10286920 | SC 580 BK    | Black  | 80 mm  | 5 mm    | 100    | No       |
| 10348906 | SC 480 BK-LN | Black  | 80 mm  | 4 mm    | 80     | Yes      |
| 10348946 | SC 380 BK-LN | Black  | 80 mm  | 3 mm    | 40     | Yes      |

Colors available: ● ●



|                                                                                                                                                                                                                                                                                                                                              |                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <b>CB1</b>                                                                                                                                                                                                                                                                                                                                   | <b>cod. 10273975</b> |
| <ul style="list-style-type: none"><li>• Number of Channels: 1</li><li>• Construction Material &amp; Quality:<br/>Thermoplastic polyurethane (TPU)</li><li>• Installation Method &amp; Interlocking System:<br/>Place the units on the ground and join them using the integrated interlocking system for a stable, tool-free setup.</li></ul> |                      |



|                                                                                                                                                                                                                                                                                                                                                                                     |                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <b>CB2</b>                                                                                                                                                                                                                                                                                                                                                                          | <b>cod. 10273971</b> |
| <ul style="list-style-type: none"><li>• Number of Channels: 2</li><li>• Construction Material &amp; Quality:<br/><b>Cover:</b> polyethylene (PE)<br/><b>Base:</b> premium recycled rubber</li><li>• Installation Method &amp; Interlocking System:<br/>Place the units on the ground and join them using the integrated interlocking system for a stable, tool-free setup</li></ul> |                      |



|                                                                                                                                                                                                                                                                                                                                                                                     |                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <b>CB3</b>                                                                                                                                                                                                                                                                                                                                                                          | <b>cod. 10273979</b> |
| <ul style="list-style-type: none"><li>• Number of Channels: 3</li><li>• Construction Material &amp; Quality:<br/><b>Cover:</b> polyethylene (PE)<br/><b>Base:</b> premium recycled rubber</li><li>• Installation Method &amp; Interlocking System:<br/>Place the units on the ground and join them using the integrated interlocking system for a stable, tool-free setup</li></ul> |                      |



|                                                                                                                                                                                                                                                                                                                                                                                     |                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <b>CB5</b>                                                                                                                                                                                                                                                                                                                                                                          | <b>cod. 10273982</b> |
| <ul style="list-style-type: none"><li>• Number of Channels: 5</li><li>• Construction Material &amp; Quality:<br/><b>Cover:</b> polyethylene (PE)<br/><b>Base:</b> premium recycled rubber</li><li>• Installation Method &amp; Interlocking System:<br/>Place the units on the ground and join them using the integrated interlocking system for a stable, tool-free setup</li></ul> |                      |







# TRITON BLUE

## CATALOGUE

INFO@TRITON-BLUE.COM - WWW.TRITON-BLUE.COM  
WWW.THEGROUPMH.COM

All information included in this catalog is intended to serve as a general guide. The company does not assume the responsibility of any errors on it. Triton Blue reserves the right to amend these specifications and designs without prior notice. These specifications and designs are not contractually valid.

Please, contact us for more detailed information.