



AUDIBAX 

RACKS




AUDIBAX IS A BRAND OF THE MHGROUP

COPYRIGHT © 2025 AUDIBAX. ALL RIGHTS RESERVED.

MH GROUP

**CALLE RÍO ALMANZORA 1C 28906 GETAFE,
MADRIDINFO@THEGROUPMH.COM +34 910 88 68 90**



ABOUT US

Audibax is a Spanish dynamic and innovative brand driven by a passion for sound and lighting, including many kinds of showbusiness gear. Our proactive mindset and pursuit of excellence drove us to create Audibax, with a vision to craft unforgettable experiences driven by the mission to deliver top-quality products without breaking the bank. We prioritize attention to detail in every stage of product development and design, ensuring European quality control standards. Since its establishment, our brand has maintained a strong determination to research and development, continuously raising the bar for our brand through exceptional product innovation. As a one-stop supplier, we offer comprehensive solutions to meet all your needs.

PRODUCT QUALITY

ENDURING DURABILITY

When it comes to product excellence, we go above and beyond at Audibax. It's our commitment to quality that sets us apart from the rest. Our products are more than just a purchase; they're a statement of enduring durability and perfection.

VALUE PRODUCTS

When you choose Audibax, you're not just choosing a product; you're choosing the ultimate sound & lighting experience. Get ready to be excited by the unbeatable combination of durability, quality, and value. Join us and let your love for the show boost with Audibax.

QUALITY MATERIALS

Crafted from only the finest materials, our speakers, lighting, and accessories are designed for the long haul. We understand that quality is not just a feature; it's our essence. That's why when you select Audibax, you're choosing a product that is sure to withstand the test of time.

AFFORDABLE PRICES

At Audibax, we firmly believe that exceptional quality should be affordable. You should not have to break the bank to experience the best. That's why we maintain highly competitive prices, providing you with the best product.



19"
INCH


FA51 SERIES

Rack Flight case

- **Lightweight Moulded Construction:** Impact-resistant PE/ABS shell designed for mobile rigs and touring racks
- **Universal 19" Rackmount:** Standard 2U to 12U options with included mounting hardware for quick installation
- **Front & Rear Removable Lids:** Dual-access covers sealed with secure latches for fast setup and cable routing
- **Ergonomic Portability:** Heavy-duty integrated handles and stackable exterior design for space-saving transport
- **Recommended Applications:** Power amplifiers, wireless receiver systems, processors, and live AV touring

FA51 SERIES FEATURES

ID	Units	Length (mm)	Height (mm)	Width (mm)	Weight (kg)
10315833	2	560	142	502	4,3
10315858	3	560	187	502	4,6
10315859	4	560	230	502	5,3
10315860	6	560	320	502	6,5
10315861	8	560	408	502	7,5
10315862	10	560	498	502	9,4
10315863	12	560	584	502	9,6



19"
INCH

FAB40 SERIES

Rack flight case

The lids include a transparent, zippered mesh pocket for storing accessories, cables, microphones, etc.

- **Heavy-Duty Plywood Build:** Reinforced outer structure designed to absorb shock and protect heavy AV gear
- **Integrated Accessory Storage:** Removable lids equipped with transparent zippered mesh pockets for cables and mics
- **Pro-Grade Hardware:** High-security butterfly latches, corner protection, and dual recessed carry handles
- **Modular Stacking:** Interlocking design ensures stable stacking during transit and stage installation
- **Recommended Applications:** Professional AV installations, heavy power amps, and rental gear transport

FAB40 SERIES

ID	Units	Length (mm)	Height (mm)	Width (mm)	Weight (kg)
10315864	2	502	165	570	4,5
10315865	4	502	256	570	6,5
10315866	6	502	347	570	7,5
10315868	8	502	432	570	9,3





19"
INCH

EF SERIES

Flight case with
Moulded Foam

- **Extreme Environmental Protection:** Waterproof O-ring seal with an automatic pressure release valve
- **Customizable Interior Protection:** Includes high-density pick & fit foam and egg-shell top foam free of charge
- **Rugged & Transport-Ready:** Reinforced impact corners, non-slip ergonomic handles, and padlocking points
- **Modular Equipment Housing:** Engineered for sensitive measuring tools, wireless gear, and industrial equipment

EF SERIES FEATURES

ID	Length (mm)	Height (mm)	Width (mm)	Weight (kg)
10315869	330	124	240	2,3
10315870	420	207	302	2,8
10315871	470	170	370	3,6
10330640	330	184	240	2
10330641	372	197	274	3
10330643	420	155	320	3,3
10330644	640	180	317	4
10330645	554	245	400	6,5



10315869



10315871



10315870



10330641



10330643



10330640



10330644



10330645

19"
INCH

RACKS
Racks Series

- **Solid Steel Construction:** Heavy-gauge steel frame with a durable black powder-coated finish
- **Flexible Sizing (2U to 16U):** Accommodates compact desktop rigs up to large floor-standing installations
- **High Load Capacity & Mobility:** Supports up to 80 kg on larger units; includes heavy-duty swivel wheels (8U to 16U)
- **Optimal Cable Management:** Open-frame structure allows efficient thermal airflow and rear access
- **Best For:** Recording studios, server rooms, broadcast centers, and fixed AV installations

RACK FEATURES

ID	Units	Maximum Load (kg)	Height (mm)	Internal Depth (mm)	Weight (kg)	Wheels
10268579	2	15	118	450	3,5	No
10268580	4	15	208	450	5,8	No
10268581	6	15	296	450	6,6	No
10268582	8	40	490	450	9,4	Yes
10268583	12	50	668	450	11,4	Yes
10268584	16	80	895	450	15,5	Yes



19" INCH

SHELF

Pro Rack Shelf

PRO RACK SHELF

ID	Rack Units	Length (mm)	Height (mm)	Width (mm)
10268591	1	482,6	44	150
10268592	2	482,6	88	150
10316205	3	482,6	132	150
10316206	4	482,6	177	150
10316208	1	482,6	44	230
10316209	2	482,6	88	230
10316210	3	482,6	132	230
10316212	4	482,6	177	230
10316213	1	482,6	44	280
10316214	2	482,6	88	280
10316216	3	482,6	132	280
10316217	4	482,6	177	280
10316219	1	482,6	44	370
10316220	2	482,6	88	370
10316221	3	482,6	132	370
10316223	4	482,6	177	370
10316224	1	482,6	44	500
10316225	2	482,6	88	500
10316226	3	482,6	132	500
10316227	4	482,6	177	500

- **Universal 19" Rack Compatibility:** Fits all standard 19-inch equipment racks and enclosures
- **Versatile Form Factors:** Heights from 1U to 4U and depths ranging from 150 mm to 500 mm
- **Durable Steel Construction:** Cold-rolled steel build providing up to 5 kg load support for non-rackable gear
- **Easy Installation:** Pre-punched mounting ears for immediate front-rail installation



10268591



10316209



10316216



10316227

19" INCH

SHELF EXT 1U

Pro Rack Shelf Ext

- **Smooth Pull-Out Action:** Heavy-duty ball-bearing sliding rails for quick access to non-rackmountable devices
- **Space-Saving 1U Profile:** Fits standard 19" racks while maintaining a slim 44 mm front height
- **Multiple Depth Options:** Available in 230 mm, 280 mm, 376 mm, and 500 mm to match internal rack space
- **Vented Tray Surface:** Integrated perforation slots to prevent heat buildup under active electronics

PRO RACK SHELF EXT


ID	Length (mm)	Width (mm)
10317935	482,6	230
10317954	482,6	280
10268597	482,6	376
10317956	482,6	500




10317935



10317954



10268597



10317956



RACK SHELVES

RACK BOXES



19" INCH

VENT SHELF

Pro Rack Shelf Vent

- **Passive Thermal Dissipation:** Fully slotted tray base maximizes airflow around hot-running equipment
- **Wide Range of Sizes:** 1U to 4U height profiles available in 5 standard depths (150 mm to 500 mm)
- **High Structural Integrity:** Stiffened side walls support up to 5 kg of static load
- **Ideal For:** Mixers, wireless receivers, network switches, and small amp installations

PRO RACK SHELF VENT

ID	Rack Units	Length (mm)	Height (mm)	Width (mm)
10316263	1	482,6	150	43
10316236	2	482,6	150	88
10316237	3	482,6	150	131
10316238	4	482,6	150	177
10316239	1	482,6	230	43
10316240	2	482,6	230	88
10316241	3	482,6	230	131
10316242	4	482,6	230	177
10316243	1	482,6	280	43
10316244	2	482,6	280	88
10316245	3	482,6	280	131
10316246	4	482,6	280	177
10316247	1	482,6	370	43
10316248	2	482,6	370	88
10316249	3	482,6	370	131
10316250	4	482,6	370	177
10316251	1	482,6	500	43
10316252	2	482,6	500	88
10316253	3	482,6	500	131
10316254	4	482,6	500	177



10316263



10316240



10316249



10316254

19" INCH

BOX

Pro Rack Box

- **Fully Enclosed Steel Chassis:** Shielded box design ideal for custom DIY electronics, power distribution, or patch units
- **Compact Depth:** Ultra-shallow 65 mm to 70 mm internal depth for tight rack spaces
- **Scalable Heights (1U to 4U):** Standard 19" front panel mounting with clean, blind rear enclosure
- **Rugged Steel Finish:** Matte black powder coat protects internal components from interference and debris

PRO RACK BOX

ID	Rack Units	Length (mm)	Height (mm)	Width (mm)
10316255	1	488	70	60
10316256	2	488	115	65
10316257	3	488	159	65
10316258	4	488	204	65



10316255



10316256



10316257



10316258

RACK DRAWERS



19"
INCH

DRAWER

Rack Drawer

DRAWER

ID	Rack Units	Length (mm)	Height (mm)	Width (mm)
10316948	2	482,6	88	230
10316949	3	482,6	130	230
10317962	4	482,6	170	230
10316951	5	482,6	214	230
10316952	2	482,6	88	280
10316953	3	482,6	130	280
10316954	4	482,6	170	280
10316955	5	482,6	214	280
10316956	2	482,6	88	370
10316957	3	482,6	130	370
10316958	4	482,6	170	370
10316959	5	482,6	214	370
10316960	2	482,6	88	500
10316961	3	482,6	130	500
10316962	4	482,6	170	500
10316963	5	482,6	214	500

- **Heavy-Duty Storage:** Smooth ball-bearing slides for housing tools, cables, microphones, and accessories

- **Broad Capacity Range:** Available from 2U to 5U (88 mm to 214 mm) and depths from 230 mm to 500 mm

- **Recessed Handle Design:** Flush front face prevents snagging on rack doors or flight case lids



10316948



10316958



10316957



10316963



19"
INCH

DRAWER K

Rack Drawer with Key

DRAWER K

ID	Rack Units	Length (mm)	Height (mm)	Width (mm)
10268578	2	482,6	88	230
10316933	3	482,6	130	230
10316934	4	482,6	170	230
10316935	5	482,6	214	230
10316936	2	482,6	88	280
10316937	3	482,6	130	280
10316938	4	482,6	170	280
10316939	5	482,6	214	280
10316940	2	482,6	88	370
10316941	3	482,6	130	370
10316942	4	482,6	170	370
10316943	5	482,6	214	370
10316944	2	482,6	88	500
10316945	3	482,6	130	500
10316946	4	482,6	170	500
10316947	5	482,6	214	500

- **Heavy-Duty Storage:** Smooth ball-bearing slides for housing tools, cables, microphones, and accessories

- **Key-Lock Security Option:** Integrated cylinder lock protects high-value gear from unauthorized access

- **Broad Capacity Range:** Available from 2U to 5U (88 mm to 214 mm) and depths from 230 mm to 500 mm

- **Recessed Handle Design:** Flush front face prevents snagging on rack doors or flight case lids



10268578



10316937



10316942



10316947



19" INCH

PANEL

Pro Rack Panel

- **Function & Application:** Designed to cover unused rack units, optimizing overall cabinet aesthetics, preventing dust accumulation inside the rack, and directing internal thermal airflow.
- **Compatibility:** 100% compatible with any standard 19" equipment rack, flight case, or enclosure (FA51, FAB40, EF, and Audibax Rack Series), requiring zero internal rack depth.

PANEL

ID	Rack Units	Length (mm)	Internal Depth (cm)	Internal Depth (cm)
10268593	1	482,6	44	1
10268594	2	482,6	88	1
10317284	3	44,1	133	1,5
10317285	3	88,5	133	1,5



10317284



10317285



10268593



10268594

19" INCH


PANEL VENT

Pro Rack Panel Vent


- **Function & Application:** Engineered for active heat management; precision vertical ventilation slots enable passive convection cooling, preventing thermal buildup generated by power amplifiers and rackmount processors
- **Compatibility:** Universal fit for standard 19" rack rails.
- **Recommended Applications:** For direct installation above or below high-heat-generating hardware inside closed rack systems

PANEL VENT

ID	Rack Units	Length (mm)	Height (mm)	Thickness (mm)
10268595	1	482,6	44	1,1
10268596	2	482,6	88	1,1
10317286	3	44,1	133	1,5
10317287	3	88,5	133	1,5



10317286



10317287



10268595



10268596

PANEL H

Pro Rack Panel H

- **Integrated Rear Shielding:** 98 mm deep rear enclosure designed to protect internal wiring, power connectors, and patch points from accidental snagging or damage
- **Pre-Punched Pass-Through Holes:** Features dedicated circular cutouts to streamline clean cable routing and rear-panel connectivity
- **Standard 19" 3U Profile:** Fits seamlessly into standard 19-inch rack frames (133.5 mm height) for a precise, flush fit
- **Heavy-Duty Steel Construction:** Built from robust 1.5 mm thick steel to ensure zero flexing and long-term durability in demanding AV setups
- **Ideal Applications:** Perfect for main power distribution units, custom patch bays, and central wiring hubs in touring racks, studios, and fixed installations

PANEL H

ID	Rack Units	Length (mm)	Height (mm)	Thickness (mm)
10316259	2	482,6	88	1
10316260	2	482,6	132	1
10316261	2	89	88	1
10316262	2	89	88	1
10317288	3	44,1	133	1
10317289	3	88,5	133	1
10317290	3	88,5	133	1
10317291	3	88,5	133	1

For Socapex




Compatible with Socapex



10317289

Compatible with CEE cables



10317291

For CEE



Compatible with Schuko



10317290

For Schuko



Compatible with Schuko



10316259

Compatible with Schuko



10316260

For Size D



Compatible with Size D connectors



10317288



10316262



10316261

19"
INCH


PRO RACK MASTER PANEL 3U

Pro Rack Panel

The Audibax Pro Rack Panel is an essential component designed to improve the organization and aesthetics of your equipment rack. With universal **19-inch** compatibility, this panel provides a versatile and practical solution for filling empty spaces in your rack, organizing and protecting your equipment, and enhancing the overall appearance of your setup.

PRO RACK MASTER PANEL 3U

ID	Rack Units	Length (mm)	Height (mm)	Width (mm)
10317282	3	438	133,5	98



10317282

19"
INCH

PRO RACK PANEL 3U

Pro Rack Panel Vent

The Audibax Pro Rack Panel Vent is an essential element for improving thermal management and ventilation in your equipment rack. It incorporates vertical slots that promote airflow, helping to maintain an optimal temperature for your electronic devices.

The Audibax Pro Rack Panel Vent is a practical solution for environments where thermal management is crucial, such as recording studios, stages, or server rooms.

PRO RACK PANEL 3U

ID	Rack Units	Length (mm)	Height (mm)	Width (mm)
10317283	3	482,6	133	30



1031728

INSTALL PANEL

